American Heart Journal

The international publication for the study of the heart and circulation

Editor in Chief: DEAN T. MASON, M.D. San Francisco, Calif.

Managing Editor: LESLIE J. SILVERNAIL San Francisco, Calif.

Senior Manuscript Editor: PETER MALIK St. Louis, Mo.

Editorial Board

W. Gerald Austen, M.D., Boston Najam A. Awan, M.D., Sacramento Daniel S. Berman, M.D., Los Angeles J. Thomas Bigger, M.D., New York William J. Bommer, M.D., Davis Lawrence I. Bonchek, M.D., Lancaster Lawrence S. Cohen, M.D., New Haven Lawrence H. Cohn, M.D., Boston John J. Collins, Jr., M.D., Boston C. Richard Conti, M.D., Gainesville Anthony N. DeMaria, M.D., Lexington Mary Allen Engle, M.D., New York Harvey Feigenbaum, M.D., Indianapolis Victor F. Froelicher, M.D., Long Beach Paul C. Gillette, M.D., Charleston John F. Goodwin, M.D., London Antonio M. Gotto, Jr., M.D., Houston Rolf M. Gunnar, M.D., Maywood W. Proctor Harvey, M.D., Washington, D.C. Richard H. Helfant, M.D., Philadelphia Walter L. Henry, M.D., Irvine J. O'Neal Humphries, M.D., Columbia J. Willis Hurst, M.D., Atlanta Mark E. Josephson, M.D., Philadelphia William B. Kannel, M.D., Framingham Norman M. Kaplan, M.D., Dallas

Samuel Kaplan, M.D., Cincinnati Joseph A. Kisslo, M.D., Durham Garrett Lee, M.D., San Francisco Michael Lesch, M.D., Chicago Robert I. Levy, M.D., New York Floyd D. Loop, M.D., Cleveland Reginald I. Low, M.D., Sacramento Dan G. McNamara, M.D., Houston Richard R. Miller, M.D., Santa Rosa Robert A. O'Rourke, M.D., San Antonio Joseph K. Perloff, M.D., Los Angeles Bertram Pitt, M.D., Ann Arbor Charles E. Rackley, M.D., Washington, D.C. Robert L. Reis, M.D., Miami Thomas A. Riemenschneider, M.D., Cleveland William C. Roberts, M.D., Bethesda David J. Sahn, M.D., San Diego Robert C. Schlant, M.D., Atlanta Pravin M. Shah, M.D., Los Angeles Walter Sommerville, M.D., London James T. Willerson, M.D., Dallas David O. Williams, M.D., Providence Roger A. Winkle, M.D., Stanford Richard M. Zakheim, M.D., Miami Robert F. Zelis, M.D., Hershey Douglas P. Zipes, M.D., Indianapolis

VOLUME 110 JULY-DECEMBER 1985 **VOLUME 110**

COPYRIGHT® 1985 BY

THE C.V. MOSBY COMPANY

All rights reserved

Printed in the United States of America

•

Author index'

Abate D, 794 Abbate R, 50 Abbotsmith CW, 677 (BC) Abela GS, 1064 (BC) Abinader EG, 381 Abrams J. 913 Acheson-A, 932 Acinapura A, 341 Ackerman L, 836 Adams D, 765 Addas A, 568 Adgey AAJ, 353 Agarwal KC, 1314 (L) Agata Y, 819 Agmon J, 116 Ahnve S, 535 Akhtar M, 568, 774 Aisen AM, 1284 Akins EW, 894 (BC) Aldrich RF, 1123 Alker KJ, 590 Allen BJ, 794 Allen J, 913 Acheson A, 932 Allen J, 794 Allen J, 913 Allin D, 913 Alpert MA, 371, 490 (BC) Amin DK, 488 (BC) Ammar R, 492 (BC) Anastasiou-Nana MI, 1168 Anastasiou-Nana MI, 1168 Anderson DJ, 631 Anderson HV, 720 Anderson JL, 774, 913, 1168 Anderson S, 913 Anderson TM, 107 Andres V, 1035 Ankeney JL, 1054 Apstein CS, 1204 Arditti A, 116 Armstrong W, 123 Arnold TH, 981 Arvan S, 44 Ault SK, 605 Awan NA, 439 Azatyan TS, 1308 (BC)

B

Bahawar H, 426 Baker BJ, 807 Balkin J, 1314 (L) Bamrah VS, 1081 (BC), 1083 (BC) (BC)
Bansal AM, 143
Barlow JB, 1328
Barnay C, 575
Barr MJ, 1181
Barr WK, 986
Barra JG, 753 Barrington W, 623 Bashore TM, 623 Bashour TT, 493 (BC), 888 (BC), 1251 Bateman TM, 71 Battaglini JW, 1123 Battler A, 675 (BC) Bautovich G, 1020 Beder SD, 1054, 1312 (L)

Beirne GJ, 1306 (BC) Bemis CE, 658 Ben-Shachar G, 65 Benson L, 483 (BC) Berman DS, 128, 402 Bernard P, 1237 Bernard SL, 65 Bertholet M, 582 Bertuso J, 490 (BC) Betzu R, 1299 (BC) Biasucci LM, 1291 (BC) Biello DR, 515 Bigger JT Jr, 1146 Billhardt RA, 1311 (L) Blanchot P, 575 Blanke H, 736 Blanski L, 913 Block PC, 996 Blumlein SL, 386 Booth DC, 409 Borgia C, 1320 (L) Borow KM, 884 (BC) Bostick D, 311 Botvinick EH, 335 Boucher CA, 830, 996 Boudoulas H, 623 Bourassa MG, 460, 1237 Bower R, 1146 Boxer RA, 1297 (BC) Bradford J, 761 Braunstein GD, 71 Bredlau CE, 747 Brenner JI, 899 (BC) Brensike JF, 1123 Brezinski ME, 1161 Brodsky MA, 789, 794 Brooks HL, 1, 1139 Brooks HL, 1, 1139 Brown B, 503 Brown J, 600 Brown WT, 977 Broze MC, 171 (BC) Brundage BH, 173 (BC), 631 Brune J, 682 (BC) Brunner HK, 439 Brob HE, 667 (BC) Brush JE, 667 (BC) Brymer JF, 673 (BC), 1001 Buckingham TA, 961 Buda AJ, 1284 Buraztyn M, 96 Buss J, 881 (BC) Butman SM, 416

C Cabin HS, 667 (BC) Caldwell RL, 600 Calzavara A, 560 Campbell NPS, 353 Cappabianca P, 341 Carliner NH, 347 Carlyle PF, 1210 Carlyle PS, 1197 Carmichael MJ, 894 (BC) Casolo GC, 50 Cassling RS, 713, 1318 (L) Casta A, 480 (BC), 1313 (L) Castellani S, 50

Castellanos A, 652 Castellanos A, 652
Castelli M, 546
Cato AE, 1200
Cavalli A, 159 (BC)
Cella G, 293
Chadda K, 913
Chaitman BR, 460, 1237
Chain MC, 1233, 1304 (BC)
Chapman PD, 1
Charuzi Y, 496 (BC)
Chatruc MR, 753
Chatterjee K, 439
Cheatham JP, 143
Cheng TO, 493 (BC)
Cherian G, 60
Cherkaoui O, 460
Cheymol G, 575
Chiariello M, 529
Choong CYP, 1020
Chow MSS, 938
Clancy KF, 658
Codini MA, 1311 (L)
Cody RJ, 800, 1032
Cogswell TL, 482 (BC)
Cohen AA, 1193
Cohen MH, 1312 (L)
Cohen MY, 1318 (L)
Cohen MV, 1318 (L)
Cohn JN, 439, 1197, 1210
Col J, 171 (BC) Castelli M. 546 Cohen MV, 1318 (L)
Cohn JN, 439, 1197, 1210
Col J, 171 (BC)
Colavita PG, 376
Col-Debeys C, 171 (BC)
Collins D, 347
Collins SM, 1266 Come PC, 178 (BC) Condorelli M, 529 Condorelli M, 529
Conklin CM, 71
Conroy RM, 1320 (L)
Conti CR, 187
Conti VR, 1313 (L)
Cooper R, 1006
Cope C, 891 (BC)
Cordier JF, 682 (BC)
Cortada X, 123, 761, 879 (BC), 1069 (BC)
Cotacchia MR, 529 1069 (BC)
Cotecchia MR, 529
Coumel P, 575
Covelli G, 1193
Crain BS, 1047
Crampton RS, 168 (BC)
Crea F, 1064 (BC)
Creager M, 439
Crottogini AJ, 753
Cummins RO, 1133
Cunningham JN Jr, 341
Curione M, 1320 (L)

D

Dabizzi RP, 50 Dae MW, 335 Dahms BB, 65 Dal Palù C, 560 Darius H, 1161 Daru V, 1193 Decroly P, 896 (BC)

^{*}July, Part 1, pp. 1-196; July, Part 2, pp. 197-292; August, pp. 293-502; September, pp. 503-712; October, pp. 713-912; November, pp. 913-1128; December, pp. 1129-1360. Key: In this index, (BC) = brief communication, and (L) = Letter to the Editor.

de Dios RM, 1079 (BC) de Faire U. 1154 de la Fuente L, 753 DeMaria AN, 409 de Marneffe M, 886 (BC) Demorizi NM, 56 Demoulin J-C, 582 Denardo SJ, 631 Denardo SJ, 631 Deng Z, 1074 (BC) Denker ST, 568 Denzler TB, 679 (BC) DePace NL, 658 Depaoli JR, 753 Detre KM, 1123 Devereux RB, 977 DiBianco R, 913 Di Donato M, 50 Dillon JC, 123, 713 DiPersio DM, 938 DiPersio DM, 938 Doherty NE, 1257 Douglas PS, 1012 Downing JW, 899 Downing SE, 395 Doyama K, 670 (BC) Doyle JT, 331 Drews FR, 503 Dukich J, 1233, 1304 (BC) Dumoulin P, 575 Dunn HM 353 Dunn HM, 353 Dupras G, 460 Dzau V, 439

t

Eagan J, 416 Eisenberg MS, 1133 Eisenberg PR, 515 Ellenbogen KA, 376 Ellertson DG, 493 (BC) Ellrodt AG, 402, 496 (BC), 1321 (L) Endrys G, 60 Engel TR, 742 Englert M, 886 (BC), 896 (BC) Epstein SE, 1123, 1326 (L) Erba SM, 1320 (L) Erhardt L, 521 Erice A, 1079 (BC) Espino RF, 1079 (BC)

Fairshter RD, 789
Fantini F, 50
Farber B, 1314 (L)
Favrot L, 913
Faxon DP, 439
Feld G, 923
Felder SD, 469
Ferencz C, 899 (BC)
Ferlinz J, 1006
Ferrick K, 1146
Ferry D, 727
Festge C, 774
Fieldman A, 938
Fineberg N, 123
Fines P, 460 Fines P, 460 Fines P, 460 Finkelstein M, 826 Fischer EC, 753 Fisher JD, 469 Fisher ML, 347, 1123 Flaker GC, 371, 490 (BC) Flammang D, 575 Fletcher BD, 154 Fletcher RD, 595 Flowers D, 17 Flowers D, 17 Follansbee WP, 318 Fonda F, 546

Forman MB, 311 Fouad FM, 439 Fox SC, 1032 Franciosa JA, 807 Frandsen TM, 180 (BC) Frank R, 575 Freedom RM, 483 (BC) Freeman LJ, 1087 Freeman ML, 836 Freis ED, 595 Freud M, 492 (BC) Friedewald W, 1123 Friedewald W, 1123 Friedman L, 1123 Friedman M, 503 Friehling TD, 363, 955 Frosolono MF, 1200 Fujita M, 77 Fulton KL, 40, 498 (BC)

G

Gabliani GI, 40 Galbut DL, 1069 (BC) Gallagher KP, 1284 Gang ES, 646, 970 Garan H, 24 Garofalo F, 1299 (BC) Gavras HP, 439 Gazes PC, 1242 Geiger J, 493 (BC) Geiser EA, 1266 Gelband H, 652 Gelbfish J, 341 Geltman EM, 515 Gensini GF, 50 Genth K, 881 (BC) German LD, 376 Gertz EW, 609 Gessman LJ, 56
Ghali J, 1006
Gianelly RE, 1063 (BC)
Giani P, 159 (BC)
Gill JJ, 503
Gillum RF, 637
Gilpin E, 535
Girod DA, 600
Giuliano P, 1303 (BC)
Giaser J, 1314 (L)
Gliklich J, 1146
Glueck CJ, 1107
Godfrey C, 672 (BC)
Goel IP, 864
Goenjian AK, 961
Goldman AP, 183 (BC), 1043
Goldman M, 1297 (BC)
Goldshlager A, 888 (BC) Gessman LJ, 56 Goldshlager A, 888 (BC) Goldstein J, 891 (BC) Goldstein S, 932 Goldstein S, 154 Gonzalez ER, 1322 (L) Gonzalez J, 913 Gonzalez M, 1193 Gopalaswamy C, 1299 (BC) Gordon T, 331 Gottdiener J, 595 Gould L, 1299 (BC) Gould RG, 631 Graves JR, 1133 Gray RJ, 71 Green DR, 637 Greenspan AM, 784, 1067 (BC) Grenadier E, 492 (BC) Grose R, 91 Grosgogeat Y, 575 Grossman E, 96 Grottum P, 521 Grousset C, 1204

Groves BM, 1200 Gruentzig AR, 720

Hadiimiltiades S. 658 Hafer JG Jr, 1063 (BC) Hafer JG Jr, 1063 (BC)
Hakki A-Hadi, 658
Hakki A-Hamid, 135, 552, 658, 851, 864, 1026
Hale SL, 590
Hallstrom AP, 1133
Hamer AW, 646, 970
Hammond GL, 667 (BC)
Hampton EM, 774, 1168
Hamster A, 1154 Hamsten A, 1154 Handa S, 617 Hanna ES, 493 (BC) Hansen RM, 335 Hanson JS, 1237 Harada M, 486 (BC) Hardebeck CJ, 677 (BC) Hardebeck CJ, 677 (BC) Hardemann JL, 789 Harris PJ, 1020 Harrison DG, 1047 Harston WE, 1301 (BC) Har-Zahav Y, 675 (BC) Hasegawa T, 486 (BC) Hayashi T, 486 (BC) Hearne TR, 1133 Heene D, 881 (BC) Hegesh J, 675 (BC) Hellman C, 116 Hendrickson J, 923 Hellman C, 116
Hendrickson J, 923
Heng MR, 84, 923, 1226
Henning H, 535
Henry RH, 727
Henry WL, 794
Hepner SI, 899 (BC)
Hericks L, 171 (BC)
Heupler FA, 448
Hill JA, 894 (BC)
Hilliard W, 1266
Hillis LD, 40, 498 (BC)
Hir J, 182 (BC)
Hiraishi S, 819
Hirose K, 670 (BC) Hirose K, 670 (BC) Hirsch AT, 326 Hofschire PJ, 143 Hotschire PJ, 143 Holder L, 347 Holland JP, 991 Hollenberg NK, 439 Holmes JR, 800 Horn E, 488 (BC) Horowitz LN, 784, 856, 913 Huerta EM, 1079 (BC) Hughes CV, 542 Hui KK-K, 814 Hull MT, 499 (BC) Hull MT, 499 (BC) Hung J, 460 Hunter H, 1176 Hurwitz RA, 600 Hutton BF, 1020 Hyodo H, 486 (BC)

1

Ichihara K, 1321 (L) Igarashi A, 949 Ikeda K, 949 Ikeda RM, 1233, 1304 (BC) Indolfi C, 529 Ingwall JS, 590 Inoue Y, 680 (BC) Inouye IK, 326, 840 Intarachot V, 923 Iseri LT, 789

Ishii Y, 300 Iskandrian AS, 135, 658, 851, 864, 1026 Iwakura H, 486 (BC)

J

Jackson EK, 311
Jacobowitz IJ, 341
Jacobe P, 886 (BC), 896 (BC)
Jacobs P, 886 (BC), 896 (BC)
Jacobstein MD, 154
Jaffe AS, 515
Jaffe AS, 515
Jaillon P, 575
Janicki JS, 1035
Janz RP, 84
Jeremy R, 1020
Jobin J, 84, 1226
Johannessen K-A, 944
Johnson SM, 40
Jueng P, 774
Juni JE, 1284

K

Kabbani SS, 493 (BC) Kabbani SS, 493 (BC) Kadota K, 77 Kahn SE, 891 (BC) Kaiser H, 736 Kalbfleisch JH, 542 Kane-Marsch S, 135, 864, 1026 Kannel WB, 1100 Kaplan E, 836 Kaplan S, 107 Kaplinsky E, 165 (BC) Karnegis JN, 452 Karsch KR, 736 Katz SM, 1295 (BC) Kaul Y, 1323 (L) Kawai C, 77 Kawashima S, 949 Kay DH, 713 Kayser KL, 1311 (L) Keelan MH Jr, 1139 Kelemen MH, 347 Keller H, 881 (BC) Kelliher GJ, 363, 955 Kelliner GJ, 363, 955 Kelly DT, 1020 Kelly TL, 535 Kelsey SF, 1123 Kemp SR, 673 (BC) Kennedy HL, 961 Kern MJ, 727, 986 Kerr CR, 966 Kertes PJ, 747 Khair GZ, 1081 (BC), 1083 Khair GZ, 1081 (BC), 1083 (BC) Khaja F, 1001 Khan N, 60 Khanna R, 102 Kher A, 575 Kiess MC, 996 Kim SG, 469 Kimchi A, 402, 496 (BC) Kindler M, 426 King M, 600 Kinney CD, 353 Kinney EL, 123, 761, 879 (BC), 1069 (BC) Kinoshita S, 1077 (BC) Kishimoto C, 77 Kisslo J, 765 Kjekshus J, 521 Klein HO, 165 (BC) Klig V, 826 Kligfield P, 800 Kline RA, 742 Kloner RA, 590

Klopfenstein HS, 1
Kluger J, 938
Kohchi K, 1071 (BC)
Kohler KR, 879 (BC)
Kojima S, 617
Kondos GT, 173 (BC)
Kopes W, 1266
Kossmann CE, 901
Kotler MN, 183 (BC), 552, 1043
Kovács SJ Jr, 872
Kowey PR, 363, 955
Krafchek J, 765
Kramer M, 341
Kramer W, 426
Kramer-Fox R, 977
Kratz JM, 1242
Krishnaswami V, 318
Kubo SH, 800, 1032
Kubota I, 949
Kugler JD, 143, 713
Kuhlmann J, 1245
Kulbertus H, 582
Kuo LC, 381

L

LaCorte MA, 1297 (BC)
Laddu A, 913
Lam JC, 460, 1237
Lambert CR, 894 (BC)
Landis JR, 932
Lang RM, 884 (BC)
Laurenzi F, 1291 (BC)
Lavenne-Pardonge E, 171 (BC)
Lavenne-Pardonge E, 171 (BC)
Lavine SJ, 318
Lawrence R, 938
Lee G, 1233, 1304 (BC)
Lee JW-T, 814
Lee KK, 1233
Lee MH, 1304 (BC)
Lee PL, 1226
Lee R, 913
Lee RG, 515
Leenen FHH, 102
Lefer AM, 1161
Lehmann MH, 568
Lehrman KL, 1293 (BC)
Leighton R, 932
Leimgruber PP, 720
Lejemtel TH, 91, 439
Lembo N, 727
Lemole GM, 898 (BC)
Lesperance J, 460
Levine TB, 439
Levitsky S, 173 (BC)
Levine TB, 439
Levitsky S, 173 (BC)
Libardoni M, 560
Libardoni M, 5

Long RA, 774 Loperfido F, 1291 (BC) Lopez LM, 991 Lown B, 9 Lujan MS, 727 Lutas EM, 977 Lutz JR, 774, 1168 Lyyski D, 961

M

MacCosbe P, 913 Machado H, 1069 (BC) MacKenzie G, 353 MacKenzie G, 353
MacMillan RM, 56
Maddahi J, 128, 402
Maggioni AP, 159 (BC)
Mahmud R, 568
Mahony L, 600
Mancuso L, 1303 (BC)
Mandel WJ, 646, 970
Manzoli U, 1291 (BC)
Maraglino G, 560
Maranhao V, 56
Marchi S, 1303 (BC)
Marcin S, 1245
Marcus L, 30 Marcin S, 1245 Marcus L, 30 Marek JC, 161 (BC) Margel S, 30 Marin G, 182 (BC) Marinchak RA, 742 Mark R, 955 Marotte F, 1204 Martin J, 1226 Maskin CS, 91 Mason DT, 439, 605, 1233, 1304 (BC) (BC)
Mason JR, 161 (BC)
Mason MA, 966
Massie BM, 326, 840
Matloif JM, 71
Matos JA, 469
Matthay MA, 335
Matts J, 452
Matucci M, 50
Matter J, 123 Matzer L, 123 Mauck HP, 1059 Maurer KR, 1327 (L) Maurer KR, 1327 (L) Mauritson DR, 40 Mayerhofer KE, 1311 (L) Mazzari M, 1291 (BC) McCarter RJ 899 (BC) McComb J, 353 McFarland TM, 1001 McGovern B, 24 McGovern B, 24 McManus BM, 713, 1318 (L) Medendrop SV, 932 Medvedowsky J-L, 575 Meert P, 171 (BC) Mehta JL, 991 Mehta JL, 991 Meltzer RS, 826 Menasche P, 1204 Metz MN, 761 Meyer RA, 107 Meyers DG, 1322 (L) Miccolo ML, 898 (BC) Mintz GS, 552, 1067 (BC) Misawa H, 819 Miyamori B, 617 Miyamori R, 617 Miyamoto AT, 1071 (BC) Miyazaki T, 617 Mok C, 814 Mooring PK, 143 Moorthy AV, 1306 (BC) Mor R, 116 Moran GW, 347 Morgan JR, 679 (BC) Morganroth J, 784, 856, 913, 1176, 1188 Moriarty DJ, 1123

Moriau M, 171 (BC) Morris DL, 609 Morris DL, 609 Morris F, 347 Mouas C, 1204 Muhammad A, 1012 Mundth ED, 658, 864 Murakami T, 77 Murata GH, 402, 496 (BC) Myking OL, 944

Nabeyama S, 300 Nademanee K, 923 Nakai T, 670 (BC) Nakamura M, 300 Nakamura Y, 617 Nanas JN, 1168 Narula O, 913 Navascués I, 1079 (BC) Neese RA, 609 Neill CA, 899 (BC) Nelson DL, 720 Nelson DL, 720 Neri Serneri GG, 50 Neser WB, 637 Nestico PF, 658, 856 Neufield HN, 675 (BC) Neumann A, 884 (BC) Neumann P, 736 Neusa H, 426 Nissen S, 409 Nixon PGF, 1087 Nobuyoshi M, 1071 (BC) Noma S, 617 Noma S, 617 Nordrehaug JE, 944 Notargiacomo A, 595

0

O'Callaghan WG, 376 O'Connor KM, 363, 955 O'Connor KM, 363, 9 Offarim M, 30 Ohba H, 486 (BC) Ohnishi S, 617 Ohyagi A, 670 (BC) Ohyama T, 949 Okada F, 1077 (BC) Okada M, 1077 (BC) Okada RD, 830, 996 Olinger GN, 1139 Oliveira JSM, 1092 Olson HG, 416 Olson HG, 416 Olson SM, 623 Oreopoulos DG, 102 O'Rourke RA, 727, 986 Osawa M, 680 (BC) Oseran DS, 646, 970

P

Pacold I, 836 Palant A, 492 (BC) Palatini P, 560 Pandullo C, 546 Panidis IP, 552, 1067 (BC) Papademetriou V, 595 Parisi AF, 293 Park RC, 727 Parmeswaran R, 183 (BC) Parmley WW, 386, 439 Parnell V Jr, 1297 (BC) Parry W, 183 (BC) Passamani ER, 1123 Patel C, 1299 (BC) Patel D, 1299 (BC) Pauperio H, 483 (BC) Pavel D, 173 (BC) Pelleg A, 688

Pennestri F, 1291 (BC) Pepine CJ, 1064 (BC) Perinetti M, 682 (BC) Perosio AM, 1324 (L) Perry LW, 899 (BC) Pessina AC, 560 Peter T, 646, 970 Pessina AC, 560
Peter T, 646, 970
Peters RW, 347
Peterson L, 1233
Pichel RH, 753
Piñeiro DJ, 1324 (L)
Pinsky WW, 143
Pitrolo F, 1303 (BC)
Pittaluga E, 1324 (L)
Pitterle ME, 1306 (BC)
Pivotti F, 546
Piwnica A, 1204
Plappert T, 1012
Platia EV, 774
Pless JE, 499 (BC)
Plotnick GD, 347
Podrid PJ, 9
Pohost GM, 830, 996
Poirier J-M, 575
Pollak SJ, 747
Pollavini G, 546 Pollavini G, 546 Porter CB, 986 Portman MA, 1054 Ports TA, 631 Poser RF, 9 Poser RF, 9 Powell LH, 503 Price M, 595 Price VA, 503 Prichard JG, 180 (BC) Prichard 3G, 189 (BC) Prida XE, 1032 Primo G, 896 (BC) Prisco D, 50 Proudfit WL, 448 Prozan GB, 1293 (BC) Puletti M, 1320 (L)

Q

Quinones MA, 381

R

Rabinowitz B, 675 (BC) Radford M, 765 Raehl CL, 1306 (BC) Rath S, 675 (BC) Ravid M, 30 Ravid M, 30 Rector TS, 1197 Reddy PS, 318 Reeves JT, 1200 Reichek N, 1012 Reid PR, 774 Reid RW, 836 Reiffel JA, 1146, 1326 (L) Reimer KA, 1047 Reis RL, 1233, 1304 (BC) Reisman S, 128 Reinner S, 182 (RC) Reisner S, 182 (BC) Reisner S, 182 (BC) Ren J-F, 552 Rentrop KP, 736 Reynard JS Jr, 1319 (L) Rhodes CG, 1323 (L) Richardson JM, 1123 Riedinger MS, 402 Riedinger MS, 402 Riemenschneider TA, 65, 154, 685, 1054, 1312 (L) Rink JL, 1233, 1304 (BC) Ritter G, 932 Rizayev MN, 1308 (BC) Robert P, 460 Roberts N, 1047 Robertson D, 311 Robertson JH, 765 Robertson RM, 311 Rocci ML Jr, 1035 Rogasi PG, 50 Rogler WC, 713, 1318 (L) Roguin N, 182 (BC) Rokey R, 381 Romano M, 529 Rose DM, 341 Rosenthal ME, 646, 970, 1074 (BC) (BC) Rosenthal T, 96 Rosman HS, 673 (BC) Ross J, 552, 1067 (BC) Ross J Jr, 535 Rothendler JA, 830 Roubin GS, 720 Rouleau J-L, 386 Rowe RD, 483 (BC) ROWE RD, 483 (BC) Roy L, 311 Rubin JD, 899 (BC) Rubin LJ, 1200 Rubin MR, 991 Ruder MA, 371, 490 (BC) Ruskin JN, 24, 774 Rysavy J, 1210

S

Sabbah HN, 1001 Sagar KB, 1059 Sagar KB, 1009 St. John Sutton M, 1012 Sakai K, 680 (BC) Saksena S, 1181 Sakurai T, 77 Sakurai 1, 77 Sanfelippo JF, 371 Sanz ML, 672 (BC) Sapire DW, 1311 (L) Sareli P, 165 (BC) Sasahara AA, 293 Sasahara AA, 293
Savin H, 30
Scanlon PJ, 161 (BC)
Scardi S, 546
Schaal SF, 774
Schamroth L, 165 (BC)
Schaper W, 1321 (L)
Schenk CL, 864
Schicha H, 736
Schlepper M, 426
Schneiderman H, 1319 (L)
Schutte MA, 499 (BC)
Schweiger MJ, 1063 (BC)
Sears TD, 713
Sederholm M, 521
Segal BL, 658 Segal BL, 658 Semenya KA, 637 Sempos C, 1006 Seth L, 807 Seward JB, 665 (BC) Schafei MZ, 60
Shahe MZ, 60
Shahe PK, 488 (BC)
Shanes JG, 173 (BC)
Shanks RG, 353
Sharkey SW, 1210
Sharma S, 1318 (L)
Shaver JA, 318
Sheldahl LM, 542
Shell W, 496 (BC)
Shelley W, 1210
Shemesh J, 675 (BC)
Shen W-F, 1020
Shimizu T, 486 (BC)
Shimizu T, 486 (BC) Shafei MZ, 60 Sievers R, 386 Sifola C, 529

Simo M, 60 Singh BN, 913, 923 Singh J, 913 Singh S, 1297 (BC) Sivakoff MC, 65 Skorton DJ, 1266 Slack JD, 713 Smallhorn JF, 483 (BC) Smith DL, 102 Smith MS, 376 Somberg J, 17 Soni JS, 1083 (BC) Sonnenblick EH, 439 Sowers JR, 71 Spagna PM, 898 (BC) Spagna PM, 898 (BC) Sperti G, 560 Spielman SR, 784 Spitzer S, 116 Spodick DH, 1317 (L) Sprague MK, 961 Starling MR, 1219 Staros E, 1295 (BC) Stavens CS, 24 Steck J, 913 Stegaru B, 881 (BC) Stein PD, 1001
Stone NJ, 1123
Stone WJ, 1301 (BC)
Stones R, 784
Storz SO, 180 (BC) Strain J, 91 Strauss HW, 347, 830, 996 Strauss WE, 293 Suarez LD, 1324 (L) Subramanian R, 173 (BC) Subramanian R, 173 (Sunseri L, 1320 (L) Svensson J, 1154 Swan HJC, 128, 402 Swerdlow C, 913 Swischuk L, 480 (BC) Szamosi A, 1154

T Tackett RL, 981 Tajik AJ, 665 (BC) Takanashi S, 819 Take A, 486 (BC) Takebayashi S, 1071 (BC) Takebayashi S, 1071 (BC) Takeda K, 486 (BC) Tanaka K, 300 Tani M, 617 Tarazi RC, 439, 845 Teichholz LE, 826 Teichman SL, 469 Teja K, 168 (BC) The POSCH Group, 452 Theis JH, 605 Thomas DJ, 637 Thomas J, 637 Thoresen CE, 503

Thormann J, 426 Tibayrenc M, 605 Tilley WS, 1301 (BC) Tokuyasu Y, 1020 Tomoike H, 300 Torino A, 1324 (L) Torres V, 17 Tracy CM, 1326 (L) Tresch DD, 1139 Tristani FE, 542 Tronge JE, 1193 Troup PJ, 1, 1139 Tsuiki K, 949 Tsujimoto S, 670 (BC) Tsutakawa RK, 371 Tubau JF, 326, 840 Tuna N, 452 Turini GA, 439 Turlapaty P, 913

H Uderman H, 311 Ullyot D, 1293 (BC) Ulmer D, 503

Vallner JJ, 981 Valty J, 575 Vandenbossche J-L, 886 (BC), 896 (BC) van Heeckeren D, 1054 Varat MA, 44 Varzaly LJ, 879 (BC) Vasilomanolakis EC, 961 Vasu CM, 932 Veisler A, 492 (BC) Venugopal P, 1323 (L) Vered Z, 675 (BC) Vergnon JM, 682 (BC) Vigna C, 1291 (BC) Villamayor R, 1193 Villamayor K, 1193 Vincent M, 682 (BC) Viquerat CE, 335 Visser CA, 826 Vitarelli A, 1317 (L) Vlay SC, 893 (BC), 904 Volpi A, 159 (BC) von der Lippe G, 944

Waclawski S, 774 Wagner GS, 1047 Waldo A, 913 Waleffe A, 582 Walldius G, 1154 Waller BF, 499 (BC), 713 Walsh RA, 986, 1219 Walter PF, 747 Wang P, 1146 Wann LS, 482 (BC) Warin J-F, 575 Waspe LE, 469 Wasty N, 1181 Watanabe Y, 670 (BC) Webb CR, 784 Webb CR, 784 Webel RR, 371 Weber KT, 1035 Weiskopf M, 71 Wenger TL, 774 Wetherbee JN, 1139 Wetstein L, 363, 955 Wicker P, 845 Wiener-Kronish JP, 335 Wikman-Coffelt J, 386 Wilke NA, 542 Williams TL, 679 (BC) Wilson H, 1035 Wilson JE, 713 Winniford MD, 40, 498 (BC) Winzelberg G, 347 Wisneski JA, 609 Wohlgelernter D, 667 (BC) Wolf WJ, 480 (BC), 1311 (L) Wolfe RA, 932 Wolff GS, 652 Wollmer P, 1323 (L) Wooley CF, 623 Wozniak B, 886 (BC) Wyatt HL, 1226 Wynn J, 123

Yagi S, 486 (BC) Yale C, 923 Yamaki M, 949 Yamamat M, 949 Yamamoto H, 300, 486 (BC) Yamazaki H, 617 Yanagisawa A, 1161 Yang DC-S, 1299 (BC) Yashiro K, 819 Yasui S, 949 Yoshino H, 617 Young M-L, 652 Yousof AM, 60

Zaher CA, 646 Zimmerman J, 1146 Zisbrod Z, 341 Zitrin R, 879 (BC) Zoneraich S, 193 Zotz RJ, 1284 Zullo MA, 977 Zur-Binenboim C, 492 (BC)

Subject index*

Abnormalities

Left ventricular performance in septic shock: reversible seg-mental and global abnormalities (Ellrodt et al.), 402 Abrasion perforation

Abrasion perforation of intra-aortic balloons (Kayser), 1311 (Letter) Reply (Mayerhofer, Billhardt, and Codini), 1311

*July, Part 1, pp. 1-196; July, Part 2, pp. 197-292; August, pp. 293-502; September, pp. 503-712; October, pp. 713-912; November, pp. 913-1128; December, pp. 1129-1360.

Accessory pathway(s)
Retrograde Wenckebach conduction in atrioventricular bypass
tracts: further evidence for AV nodal-like conduction in
accessory pathways (Deng et al.), 1074 (Brief comm.)

Acknowledgment to Reviewers

Acknowledgment to Reviewers, 1129

Acute myocardial infarction. See Myocardial infarction Adenosine

Cardiac cellular electrophysiologic actions of adenosine and adenosine triphosphate (Pelleg), 688

Adenosine triphosphate

Cardiac cellular electrophysiologic actions of adenosine and adenosine triphosphate (Pelleg), 688

Adolescents

Drug-electrophysiology studies in infants, children, and adolescents (Kugler et al.), 144

Adrenal function following coronary bypass surgery (Weiskopf et al.), 71

Adults

Univentricular heart in adults: report of nine cases with review of literature (Sagar and Mauck), 1059 garose polyacrolein microsphere beads

Therapy of digoxin intoxication in dogs by specific hemoperfusion through agarose polyacrolein microsphere beads-anti-digoxin antibodies (Marcus et al.), 30

Age-related changes in pharmacodynamics of verapamil (Arnold, Vallner, and Tackett), 981

Albany Study

Drinking and coronary heart disease: Albany Study (Gordon and Doyle), 331

Alcohol(ic)

Cardiac arrhythmias in population admitted to acute alcoholic detoxification center (Buckingham et al.), 961

Ambulatory monitoring

Electrophysiologic testing in patients with recurrent syncope: are results predicted by prior ambulatory monitoring? (Reiffel et al.), 1146

Academy of Pediatrics: Program and American Abstracts

Program and Abstracts: American Academy of Pediatrics, Section on Cardiology-27th Annual Meeting, 695

Amiodarone

Amiodarone and sustained ventricular arrhythmias: statistical evidence of drug effectiveness (Flaker et al.), 371 Cardiac function in patients on chronic amiodarone therapy

(Ellenbogen et al.), 376

Incessant atrioventricular nodal reciprocating tachycardia suc-cessfully treated with IV amiodarone (Maggioni et al.), 159 Mexiletine: double-blind comparison with procainamide in

PVC suppression and open-label sequential comparison with amiodarone in life-threatening ventricular arrhythmias (Nademanee et al.), 923

Angina pectoris

Body surface distributions of ST segment changes after exer-cise in effort angina pectoris without myocardial infarction (Kubota et al.), 949

Dynamic causes of angina pectoris (Freeman and Nixon), 1087

Effect of a new transdermal therapeutic system containing nitroglycerin on exercise capacity in patients with angina pectoris (Scardi et al.), 546

High-dose isosorbide dinitrate in management of angina pecto-

ris (Tremblay), 280 Improved coronary supply: prevailing mechanism of action of nitrates in chronic stable angina (Kaski et al.), 238

Isosorbide dinitrate and nifedipine in variant angina pectoris (Conti et al.), 251

Remission of angina pectoris: correlation with the stress thalli-um-201 test (Gould et al.), 1299 (Brief comm.)

Role of isosorbide dinitrate in patients with unstable angina pectoris (Rackley), 269

Angina, stable

Improved coronary supply: prevailing mechanism of action of nitrates in chronic stable angina (Kaski et al.), 238

Improvement in exercise performance with nisoldipine, new econd-generation calcium blocker, in stable angina patients (Lopez et al.), 991

Angina, unstable

Intramural coronary arteritis from cholesterol emboli: rare cause of unstable angina preceding sudden death (Teja and Crampton), 168 (Brief comm.)

Role of isosorbide dinitrate in patients with unstable angina pectoris (Rackley), 269

Angina, variant

Isosorbide dinitrate and nifedipine in variant angina pectoris (Conti et al.), 251

Ventricular ectopic activity with spontaneous variant angina: frequency and relation to transient ST segment deviation (Gabliani et al.), 40

Angiography(phic)

Angiographic diagnosis of inward flexion of porcine biopros-

Angiographic diagnosis of inward heating to porcine hoprosthetic valve stents (Kemp et al.), 673 (Brief comm.)

Assessment of severity of valvular regurgitation by digital subtraction angiography compared to cineangiography (Booth, Nissen, and DeMaria), 409

Coronary artery spasm induced in miniature swines angiography or spatial surface and relation to generative stenses and relation to generative stenses.

graphic evidence and relation to coronary atherosclerosis (Shimokawa et al.), 300

High-density lipoprotein cholesterol and angiographic coro-nary ariery disease in black patients (Cooper et al.), 1006 Angioplasty

Applicability of laser to assist coronary balloon angioplasty (Lee et al.), 1233 Sequential and reversible multiple vessel coronary occlusion following angioplasty (Gianelly, Hafer, and Schweiger), 1063 (Brief comm.)

Antiarrhythmic(s)

Aggravation of arrhythmia induced with antiarrhythmic drugs during electrophysiologic testing (Poser et al.), 9

Meobentine sulfate: antiarrhythmic and electrophysiologic effects assessed by programmed electrical stimulation and ambulatory monitoring in patients with complex ventricular tachyarrhythmia. Report of multicenter evaluation (Anderson et al.), 774
Review of the uses and limitations of tocainide—a class IB

antiarrhythmic agent (Morganroth, Nestico, and Horowitz),

Anticoagulant therapy
Anticoagulant therapy in acute myocardial infarction (Loeliger), 1322 (Letter)

Antidigoxin antibodies

Therapy of digoxin intoxication in dogs by specific hemoperfusion through agarose polyacrolein microsphere beads-anti-digoxin antibodies (Marcus et al.), 30

Anti-ischemic actions

Anti-ischemic actions of a new thromboxane receptor antagonist during acute myocardial ischemia in cats (Brezinski et al.), 1161

Aorta

Aortic stenosis with linear calcification of ascending aorta (Rath et al.), 675 (Brief comm.)

Aortic stenosis with linear calcification of ascending aorta (Rath et al.), 675 (Brief comm.)

Ascending aortic dissection: detection by MRI (Hill et al.), 894 (Brief comm.)

Correlates of prolonged HV conduction in aortic stenosis (MacMillan et al.), 56

Doppler evaluation of aortic coarctation (Come), 178 (Brief comm.)

Left ventricular pressure/volume relationship in aortic regurgitation (Iskandrian, Hakki, and Kane-Marsch), 1026 Origin of left anterior descending coronary artery from right aortic sinus with intramyocardial tunneling to left side of

heart via ventricular septum; case against clinical and morphologic significance of myocardial bridging (Schulte et al.), 499 (Brief comm.) Reconsideration of Doppler assessed gradients in suspected

aortic stenosis (Krafchek et al.), 765

Argon-laser

Acute continuous argon-laser induced tissue effects in isolated canine heart (Ben-Shachar et al.), 65

Arrhythmia(s)

Aggravation of arrhythmia induced with antiarrhythmic drugs during electrophysiologic testing (Poser et al.), 9

Arrhythmia inducibility and ventricular vulnerability in chronic feline infarction model (Wetstein et al.), 955

Cardiac arrhythmias in population admitted to acute alcoholic detoxification center (Buckingham et al.), 961
Comparative efficacy and safety of oral cibenzoline and quini-

dine in ventricular arrhythmias: a randomized crossover study (Wasty, Saksena, and Barr), 1181

Comparative efficacy and safety of short-acting and sustained release quinidine in treatment of patients with ventricular arrhythmias (Morganroth and Hunter), 1176

Initial and long-term outpatient experience with lorcainide for suppression of malignant and potentially malignant ventricular arrhythmias (Anastasiou-Nana et al.), 1168

Occult arrhythmias and syncope in children (Sapire and Wolf), 1311 (Letter) Reply (Beder and Cohen), 1312

Arrhythmia(s)-Cont'd

Prevalence and possible mechanisms of ventricular arrhyth-mias in athletes (Palatini et al.), 560

Arrhythmias, ventricular

Effect of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without left ventricular hypertrophy (Papademetriou et al.), 595

Mexiletine: double-blind comparison with procainamide in PVC suppression and open-label sequential comparison with amiodarone in life-threatening ventricular arrhythmias

(Nademanee et al.), 923
Milrinone in congestive heart failure: observations on ambulatory ventricular arrhythmias (Holmes et al.), 800

Arrhythmogenic

Inducible ventricular fibrillation in arrhythmogenic right ven-tricular dysplasia (Panidis et al.), 1067 (Brief comm.)

Right ventricular coronary flow in arterial hypertension (Wicker and Tarazi), 845 Arteriography(phic)

Arteriographic demonstration of release of coronary artery spasm by isosorbide dinitrate: twenty-five-year retrospective (Gensini), 201

Arteritis

Intramural coronary arteritis from cholesterol emboli: rare cause of unstable angina preceding sudden death (Teja and Crampton), 168 (Brief comm.)

Artery(ies)

Arteriographic demonstration of release of coronary artery spasm by isosorbide dinitrate: twenty-five-year retrospective (Gensini), 201

LV outflow tract obstruction in complete transposition of the great arteries (Glaser, Balkin, and Farber), 1314 (Letter) Reply (Vitarelli), 1317

Serial studies of platelet factor 4 and beta thromboglobulin during exercise in patients with coronary artery disease (Strauss et al.), 293

Atherosclerosis

Coronary artery spasm induced in miniature swine: angiographic evidence and relation to coronary atherosclerosis (Shimokawa et al.), 300

Nonpharmacologic and pharmacologic alteration of high-densi-ty lipoprotein cholesterol: therapeutic approaches to prevention of atherosclerosis (Glueck), 1107

Atherosclerotic coronary disease
Intravascular steerable guidewire for fiberoptic laser-heated
metal cautery cap in dissolution of human atherosclerotic coronary disease (Lee et al.), 1304 (Brief comm.)

Prevalence and possible mechanisms of ventricular arrhythmias in athletes (Palatini et al.), 560

Atrial

Atrial flutter causing mid-diastolic closure of Björk-Shiley mitral prosthesis (Cogswell and Wann), 482 (Brief communi-

Atrial myxoma presenting as acute myocardial infarction (Lehrman, Prozan, and Ullyot), 1293 (Brief comm.)
Concealed atrial quadrigeminy (Kinoshita, Okada, and Okada),

1077 (Brief comm.) Detection of round floating left atrial thrombus simulating left

atrial myxoma by two-dimensional echocardiography (Zur-Binenboim et al.), 492 (Brief comm.)

Magnesium and potassium therapy in multifocal atrial tachy-cardia (Iseri et al.), 789

Pulmonary tumor embolism and right atrial myxoma detected by two-dimensional echocardiography (Keller et al.), 881 (Brief comm.)

Rapid atrial pacing-induced infra-His conduction block in children (Young et al.), 652

Reduced atrial natriuretic factor after ligation of the left Reduced atrial natriuretic factor after ligation of the left coronary artery in rats (Rector, Carlyle, and Cohn), 1197 Renal cell carcinoma and right atrial tumor diagnosed by echocardiography (Goldman et al.), 183 (Brief comm.) Right-to-left interatrial shunting with atrial septal defect and idiopathic right ventricular calcification (Reisner et al.), 182

(Brief comm.)

Streptococcus viridans bacteremia associated with atrial myxoma (Frandsen, Prichard, and Storz), 180 (Brief comm.) Sudden appearance of a right atrial thrombus on two-dimen-

sional echocardiogram: significance and therapeutic implications (Kinney et al.), 879 (Brief comm.)

Atrial septal defect

Clinically "silent" atrial septal defect: diagnosis by two-dimensional and Doppler echocardiography (Shub, Tajik, and Seward), 665 (Brief comm.)

Right-to-left interatrial shunting with atrial septal defect and idiopathic right ventricular calcification (Reisner et al.), 182 (Brief comm.)

Atrioventricular

trioventricular Retrograde Wenckebach conduction in atrioventricular bypass tracts: further evidence for AV nodal-like conduction in accessory pathways (Deng et al.), 1074 (Brief comm.) Syncope in hypertrophic cardiomyopathy. I. Association with atrioventricular block (Khair and Bamrah), 1081 (Brief

Syncope in hypertrophic cardiomyopathy. II. Coexistence of atrioventricular block and Wolff-Parkinson-White syndrome (Khair, Soni, and Bamrah), 1083 (Brief comm.)

Atrioventricular node (nodal)

Incessant atrioventricular nodal reciprocating tachycardia suc-cessfully treated with intravenous amiodarone (Maggioni et al.), 159 (Brief comm.) Unidirectional retrograde atrioventricular nodal block in man:

determinants of reversibility by vagal antagonism (Mahmud

Atrium

Metastatic carcinoma involving the left atrium (Lang, Borow, and Neumann), 884 (Brief comm.)

Automatic external defibrillators

What is a "save"?: Outcome measures in clinical evaluations of automatic external defibrillators (Cummins et al.), 1133

B

Streptococcus viridans bacteremia associated with myxoma (Frandsen, Prichard, and Storz), 180 (Brief comm.)

Balloon(s)

Abrasion perforation of intra-aortic balloons (Kayser), 1311 (Letter) Reply (Mayerhofer, Billhardt, and Codini), 1311 Applicability of laser to assist coronary balloon angioplasty (Lee et al.), 1233
Esophageal electrocardiography using a balloon-tip electrode (Hardebeck and Abbottsmith), 677 (Brief comm.)

Behavior modification

Reduction in type A behavior in healthy middle-aged American military officers (Gill et al.), 503 Beta thromboglobulin

Serial studies of platelet factor 4 and beta thromboglobulin during exercise in patients with coronary artery disease (Strauss et al.), 293

Biochemistry(cal)

Studies on mode of action of isosorbide dinitrate: physiologic and biochemical approach (Matlib et al.), 204

Quantitative evaluation of inflammation in biopsy specimens from idiopathically failing or irritable hearts: experience in 80 pediatric and adult patients (Cassling et al.), 713 Biplane axial oblique cineangiography

Accuracy of biplane axial oblique and oblique cineangiographic left ventricular cast volume determinations using a modifica tion of Simpson's rule algorithm (Starling and Walsh), 1219

Biventriculography

Improved evaluation of hypertrophic cardiomyopathy by biventriculography with axial projection (Kishomoto et al.),

Björk-Shiley valve

Atrial flutter causing mid-diastolic closure of Björk-Shiley mitral prosthesis (Cogswell and Wann), 482 (Brief comm.) Experience with outlet strut fracture of the Bjork-Shiley convexoconcave mitral valve prosthesis (Mok et al.), 814

Late strut fracture and disc embolization in a 27 mm Björk-Shiley mitral valve prosthesis (Miccolo, Lemole, and Spagna), 898 (Brief comm.)

Thrombectomy for obstructed Björk-Shiley mitral prosthesis (Kaul and Venugopal), 1323 (Letter)

High-density lipoprotein cholesterol and angiographic coro-nary artery disease in black patients (Cooper et al.), 1006 Risk factors and incidence of hypertension in black physicians: the Meharry Cohort Study (Thomas et al.), 637

Blalock-Taussig shunt
Pulmonary and subclavian steal following Blalock-Taussig
shunt (Casta and Conti), 1313 (Letter) Reply (Agarwal), 1314

Rapid atrial pacing-induced infra-His conduction block in children (Young et al.), 652

Unidirectional retrograde atrioventricular nodal block in man: determinants of reversibility by vagal antagonism (Mahmud et al.), 568

Undrained bloody pericardial effusion in early postoperative period after coronary bypass surgery: prospective blood pool study Viquerat et al.), 335

Bookshelf Bookshelf, 694 Bradycardia

Symptomatic sinus bradycardia during concomitant proprano-lol-verapamil administration (Winniford, Fulton, and Hillis), 498 (Brief comm.)

Bretylium

Antifibrillatory effects of lidocaine and bretylium immediately

postcardiopulmonary resuscitation (Chow et al.), 938
Effect of bretylium and clofilium on dispersion of refactoriness
and vulnerability to ventricular fibrillation in ischemic feline heart (Kowey et al.), 363

Bypass tracts

Retrograde Wenckebach conduction in atrioventricular bypass tracts: further evidence for AV nodal-like conduction in accessory pathways (Deng et al.), 1074 (Brief comm.)

C

Calcification

Right-to-left interatrial shunting with atrial septal defect and idiopathic right ventricular calcification (Reisner et al.), 182 (Brief comm.)

Calcium

Effect of the new calcium antagonist nisoldipine (BAY k-5552) on myocardial infarct size limitation in conscious dogs (Crottogini et al.), 753

Improvement in exercise performance with nisoldipine, new econd-generation calcium blocker, in stable angina patients (Lopez et al.), 991

Potentiation by calcium channel blockade of hypoxic myocardial depression in the neonate (Downing), 395

Salutary hemodynamic and sustained clinical beneficial effects of nisoldipine, a new calcium channel blocker, in patients with recurrent ischemia and severe heart failure (Kimchi et al.), 496 (Brief comm.)

California insects and Chagas' disease Agent of Chagas' disease from Honduran vector capable of developing in California insects: implications for cardiolo-gists (Theis et al.), 605

Captopril

Cooperative multicenter study of captopril in congestive heart failure: hemodynamic effects and long-term response (Chatterjee et al.), 439

Carcinoma

Metastatic carcinoma involving the left atrium (Lang, Borow, and Neumann), 884 (Brief comm.)

Renal cell carcinoma and right atrial tumor diagnosed by echocardiography (Goldman et al.), 183 (Brief comm.)

Cardiac

Cardiac arrhythmias in population admitted to acute alcoholic detoxification center (Buckingham et al.), 961

Cardiac function in patients on chronic amiodarone therapy (Ellenbogen et al.), 376 Cardiac osteosarcoma (Schneiderman), 1319 (Letter) Reply

(Reynard), 1319

ac tamponade as first manifestation of acute lymphoblastic leukemia in a patient with echographic evidence of mediastinal lymph nodal enlargement (Mancuso et al.), 1303 (Brief comm.)

Chemotherapy of metastatic primary cardiac sarcomas (Vergnon et al.), 682 (Brief comm.)

Clinical evaluation of left ventricular function using the cardiac helical fiber model: an echocardiographic study (Jobin et al.),

Isoproterenol in cardiac tamponade (Spodick), 1317 (Letter) Reply (Cohen), 1318

Cardiac-Cont'd

Long-term echocardiographic evaluation of cardiac size and function in patients with Kawasaki disease (Anderson, Meyer, and Kaplan), 107

Milrinone in treatment of chronic cardiac failure: controlled

trial (Likoff et al.), 1035 Permanent cardiac pacing in patients on chronic renal dialysis (Leman, Kratz, and Gazes), 1242

Reproducibility of nongeometric analysis of cardiac output and left ventricular volume by radionuclide angiography (Jeremy

et al.), 1020 Tricuspid stenosis and regurgitation in rheumatic heart disease: prospective cardiac catheterization study in 525 patients (Yousof et al.), 60

Cardiac arrest

Effect of bystander CPR on survival of out-of-hospital cardiac arrest victims (Ritter et al.), 932

Hypokalemia as cause of cardiac arrest: results of electrophysiologic testing and long-term follow-up (Ruder et al.), 490 (Brief comm.)

Cardiologist(s)

How the university cardiologist treats ventricular premature beats: a nationwide survey of 65 University Medical Centers (Vlay), 904

Cardiology, pediatric Challenge of the future in pediatric cardiology (Riemenschneider), 685

Cardiomyopathy

Coronary artery obstruction: potentially reversible cause of dilated cardiomyopathy (Shanes et al.), 173 (Brief communication)

Improved evaluation of hypertrophic cardiomyopathy by biventriculography with axial projection (Kishomoto et al.),

Postpartum cardiomyopathy and acute myocarditis (Huerta et al.), 1079 (Brief comm.)

Sudden death and hypertrophic cardiomyopathy (Tracy and Epstein), 1326 (Letter)

Syncope in hypertrophic cardiomyopathy. I. Association with atrioventricular block (Khair and Bamrah). 1081 (Brief comm.)

Syncope in hypertrophic cardiomyopathy. II. Coexistence of atrioventricular block and Wolff-Parkinson-White syndrome (Khair, Soni, and Bamrah), 1083 (Brief comm.)

Cardioplegia

Increased injury of hypertrophied myocardium with ischemic arrest: preservation with hypothermia and cardioplegia (Menasche et al.), 1204

Cardiovascular

Cardiovascular manifestations of systemic lupus erythematosus (Doherty and Siegel), 1257

Catecholamine

Circulating catecholamine and potassium concentrations early in acute myocardial infarction: effect of intervention with timolol (Nordrehaug et al.), 944

Catheter

Evaluation of percutaneous catheter technique for ablation of ventricular tachycardia in canine model (Chapman et al.),

Low-dose streptokinase therapy for Swan-Ganz catheter-induced thrombosis (Kahn, Goldstein, and Cope), 891 (Brief

Catheterization

feasibility, reliability, and advantage of utilizing low contrast dose digital subtraction ventriculography in a conventional catheterization laboratory (Denardo et al.), 631 (Clinical Investigation)

Tricuspid stenosis and regurgitation in rheumatic heart disease: prospective cardiac catheterization study in 525 patients (Yousof et al.), 60
Cellular action, cardiac
Cardiac cellular electrophysiologic actions of adenosine and

adenosine triphosphate (Pelleg), 688

Chagas' disease

Agent of Chagas' disease from Honduran vector capable of developing in California insects: implications for cardiologists (Theis et al.), 605

Natural human model of intrinsic heart nervous system dener-

vation: Chagas' cardiopathy (Oliveira), 1092

Chest pain

Chest pain after nontransmural infarction: absence of remediable coronary vasospasm (Eisenberg et al.), 515

Chest pain-Cont'd

Course of chest pain and its relation to CK release and ST/QRS vector changes in patients with acute myocardial infarction randomized to treatment with intravenous timolol or placebo (Sederholm et al.), 521

Children

Drug-electrophysiology studies in infants, children, and adolescents (Kugler et al.), 144

Occult arrhythmias and syncope in children (Sapire and Wolf), 1311 (Letter) Reply (Beder and Cohen), 1312

Rapid atrial pacing-induced infra-His conduction block in children (Young et al.), 652

Twenty-year review of ostium primum defect repair in children (Portman et al.), 1054

Cholesterol

Intramural coronary arteritis from cholesterol emboli: rare cause of unstable angina preceding sudden death (Teja and Crampton), 168 (Brief comm.)

Renal failure due to cholesterol emboli following PTCA (Tilley et al.), 1301 (Brief comm.)

Cibenzoline

Comparative efficacy and safety of oral cibenzoline and quinidine in ventricular arrhythmias: a randomized crossover study (Wasty, Saksena, and Barr), 1181

Cineangiography(phic)
Accuracy of biplane axial oblique and oblique cineangiographic LV cast volume determinations using a modification of Simpson's rule algorithm (Starling and Walsh), 1219

Assessment of severity of valvular regurgitation by digital subtraction angiography compared to cineangiography (Booth, Nissen, and DeMaria), 409

Circulation

Collateral circulation to two different coronary vascular beds by a right superior septal perforator coronary artery in a patient with ventricular tachycardia (Vlay), 893 (Brief comm.)

Newer technologies for study of action of nitrates in coronary circulation and myocardial function (Swan), 233

Effect of bretylium and clofilium on dispersion of refractoriness and vulnerability to ventricular fibrillation in ischemic feline heart (Kowey et al.), 363

Coarctation

Doppler evaluation of aortic coarctation (Come), 178 (Brief comm.)

Collateral(s)

Collateral circulation to two different coronary vascular beds by a right superior septal perforator coronary artery in a patient with ventricular tachycardia (Vlay), 893 (Brief

Congenital heart disease

Maternal mitral valve prolapse and congenital heart disease in the offspring (Ferencz et al.), 899 (Brief comm.)

Congestive heart failure

Adverse clinical and hemodynamic effects of oral levodopa in chronic congestive heart failure (Shah, Amin, and Horn), 488 (Brief comm.) Combined hemodynamic effects of nifedipine and nitroglycerin

in congestive heart failure (Kubo et al.), 1032 Cooperative multicenter study of captopril in congestive heart failure: hemodynamic effects and long-term response (Chatterjee et al.), 439

Effects of new cardiotonic agent, MDL-17,043, on myocardial contractility and left ventricular performance in congestive heart failure (Strain et al.), 91

Isosorbide dinitrate and exercise performance in patients with

congestive heart failure (Franciosa), 245 Milrinone in congestive heart failure: observations on ambulatory ventricular arrhythmias (Holmes et al.), 800 (Clinical Investigation)

Propafenone therapy for ventricular tachycardia in the setting of congestive heart failure (Brodsky et al.), 794 Role of isosorbide dinitrate in management of chronic conges-

tive heart failure (Parmley), 264

Constrictive pericarditis

Significance of inspiratory premature opening of pulmonic valve in constrictive pericarditis (Vandenbossche et al.), 896 (Brief comm.)

Contractility Persistent Q waves with restoration of normal ventricular contractility after emergency coronary reperfusion (Bashour and Goldshlager), 888 (Brief comm.) Contrast

Absence of myocardial biochemical toxicity with a nonionic contrast agent (iopamidol) (Wisneski et al.), 609

Contrast agent (topanico) (visionale agent) (Ri-zayev and Azatyan), 1308 (Brief comm.) Spontaneous echographic contrast in the inferior vena cava

(Meltzer et al), 826

Coronary
Adrenal function following coronary bypass surgery (Weiskopf et al.), 71 Applicability of laser to assist coronary balloon angioplasty

Lee et al.), 1233

Collateral circulation to two different coronary vascular beds by a right superior septal perforator coronary artery in a patient with ventricular tachycardia (Vlay), 893 (Brief comm.)

Coronary artery obstruction: potentially reversible cause of dilated cardiomyopathy (Shanes et al.), 173 Effects of pulsed external augmentation of diastolic pressure

on coronary and systemic hemodynamics in patients with coronary artery disease (Kern et al.), 727

Improved coronary supply: prevailing mechanism of action of nitrates in chronic stable angina (Kaski et al.), 238

Intramural coronary arteritis from cholesterol emboli: rare cause of unstable angina preceding sudden death (Teja and Crampton), 168 (Brief comm.)

lultivessel coronary spasm without electrocardiographic changes (Crea, Abela, and Pepine), 1064 (Brief comm.)

Newer technologies for study of action of nitrates in coronary circulation and myocardial function (Swan), 233
Persistent Q waves with restoration of normal ventricular contractility after emergency coronary reperfusion (Bashour and Goldshlager), 888 (Brief comm.)

Right ventricular coronary flow in arterial hypertension (Wick-

er and Tarazi), 845

Sequential and reversible multiple vessel coronary occlusion following angioplasty (Gianelly, Hafer, and Schweiger), 1063 Severe stress thallium defect: indicator of critical coronary

stenosis (Reisman et al.), 128

Coronary artery(ies)

Coronary artery obstruction: potentially reversible cause of dilated cardiomyopathy (Shanes et al.), 173 (Brief comm.)

Distal coronary artery perfusion during percutaneous transluminal coronary angioplasty (Anderson et al.), 720
Origin of left anterior descending coronary artery from right

aortic sinus with intramyocardial tunneling to left side of heart via ventricular septum: case against clinical and mor-phologic significance of myocardial bridging (Schulte et al.), 499 (Brief comm.)

Reduced atrial natriuretic factor after ligation of the left coronary artery in rats (Rector, Carlyle, and Cohn), 1197 Coronary artery bypass surgery Adrenal function following coronary bypass surgery (Weiskopf

et al.), 71

Analysis of morbidity and mortality in patients 70 years of age and over undergoing coronary artery bypass surgery (Rose et

Fulminant herpes simplex hepatitis following coronary bypass and postcardiotomy syndrome (Williams, Morgan, and Denzler), 679 (Brief comm.)

Long-term follow-up of survivors of prehospital sudden cardiac death treated with coronary bypass surgery (Tresch et al.),

Undrained bloody pericardial effusion in early postoperative period after coronary bypass surgery: prospective blood pool study (Viquerat et al.), 335

Coronary artery disease

Comparative diagnostic value of exercise polarcardiography and 14-lead electrocardiography in detection of coronary artery disease (Lam et al.), 1237

Effects of indomethacin on systemic and coronary hemodynamics in patients with coronary artery disease (Forman et

Effects of pulsed external augmentation of diastolic pressure on coronary and systemic hemodynamics in patients with coronary artery disease (Kern et al.), 727

High-density lipoprotein cholesterol and angiographic coronary artery disease in black patients (Cooper et al.), 1006 Influence of left ventricular function on signal averaged late potentials in patients with coronary artery disease with and without ventricular tachycardia (Pollak et al.), 747

Coronary artery disease—Cont'd Left ventricular diastolic filling in patients with coronary artery disease and normal left ventricular function (Lavine et al.), 318

Logistic regression analysis of multiple noninvasive tests for prediction of presence and extent of coronary artery disease in men (Hung et al.), 460 Prognostic implications of exercise thallium-201 scintigraphy

in patients with suspected or known coronary artery disease (Iskandrian, Hakki, and Kane-Marsch), 135

Quantitation of regional left ventricular function by two-

dimensional echocardiography in normals and patients with coronary artery disease (Ren et al.), 552 Radionuclide evaluation of exercise left ventricular perfor-

mance in patients with coronary artery disease (Iskandrian and Hakki), 851

Regional left ventricular systolic function in patients with segmental early relaxation and single-vessel coronary artery disease (Sabbah et al.), 1001 Serial studies of platelet factor 4 and beta thromboglobulin during exercise in patients with coronary artery disease

(Strauss et al.), 293

Use of rest and exercise radionuclide ventriculography in risk stratification in patients with suspected coronary artery disease (Iskandrian et al.), 864

Coronary artery spasm
Arteriographic demonstration of release of coronary artery asm by isosorbide dinitrate: twenty-five-year retrospective (Gensini), 201

Coronary artery spasm and vascular nerve lesion (Kohchi et al.), 1071 (Brief comm.)

Coronary artery spasm induced in miniature swine: angiographic evidence and relation to coronary atherosclerosis (Shimokawa et al.), 300

Myocardial infarction: thoughts about pathogenesis and role of coronary artery spasm (Conti), 187

Coronary disease Intravascular steerable guidewire for fiberoptic laser-heated metal cautery cap in dissolution of human and atherosclerot-

ic coronary disease (Lee et al.), 1304 (Brief comm.)
Left ventricular filling is usually normal in uncomplicated
coronary disease (Inouye et al.), 326
Coronary heart disease

Drinking and coronary heart disease: Albany Study (Gordon

and Doyle), 331
Lipids, diabetes, and coronary heart disease: insights from Framingham Study (Kannel), 1100

Primary prevention of coronary heart disease by lowering lipids: results and implications (Levy), 1116 CPR

Effect of bystander CPR on survival of out-of-hospital cardiac arrest victims (Ritter et al.), 932

Creatine kinase (CK)

Course of chest pain and its relation to CK release and ST/QRS vector changes in patients with acute myocardial infarction randomized to treatment with intravenous timolol or placebo (Sederholm et al.), 521

Death, sudden cardiac. See also Sudden death

Long-term follow-up of survivors of prehospital sudden cardiac death treated with coronary bypass surgery (Tresch et al.), 1139

Sudden death and hypertrophic cardiomyopathy (Tracy and Epstein), 1326 (Letter)

Defibrillators

What is a "save"?: Outcome measures in clinical evaluations of automatic external defibrillators (Cummins et al.), 1133

Depolarization
Relationship of delayed depolarization to the QT interval after
acute myocardial infarction (Marinchak, Kline, and Engel),

Diabetic(s), diabetes

Asymptomatic transient ST changes during ambulatory ECG monitoring in diabetic patients (Chiariello et al.), 529 Lipids, diabetes, and coronary heart disease: insights from Framingham Study (Kannel), 1100

Dialysis

Permanent cardiac pacing in patients on chronic renal dialysis (Leman, Kratz, and Gazes), 1242

Dialysis-Cont'd

Procainamide administration during continuous ambulatory peritoneal dialysis (Raehl et al.), 1306 (Brief comm.)

Diastolic

Assessment of left ventricular diastolic filling: comparison of fixed and varying region of interest approaches (Inouye et

Atrial flutter causing mid-diastolic closure of Björk-Shiley mitral prosthesis (Cogswell and Wann), 482 (Brief comm.) Changes in left ventricular diastolic function after left ventric-

ulography: comparison with iopamidol and urografin (Tani et al.), 617

Effects of pulsed external augmentation of diastolic pressure on coronary and systemic hemodynamics in patients with

coronary artery disease (Kern et al.), 727
Left ventricular diastolic filling in patients with coronary artery disease and normal left ventricular function (Lavine et al.), 318 Digital

Digital signal and image processing in echocardiography (Skorton et al.), 1266

Feasibility, reliability, and advantage of utilizing low contrast dose digital subtraction ventriculography in a conventional catheterization laboratory (Denardo et al.), 631

Digitoxin

Effects of verapamil on pharmacokinetics and pharmacody-namics of digitoxin in patients (Kuhlmann and Marcin), 1245

Digoxin

Therapy of digoxin intoxication in dogs by specific hemoperfusion through agarose polyacrolein microsphere beads-anti-digoxin antibodies (Marcus et al.), 30

Diltiazem

Improved myocardial oxygen utilization by diltiazem in patients (Kern et al.), 986

Disc embolization

Late strut fracture and disc embolization in a 27 mm Björk-Shiley mitral valve prosthesis (Miccolo, Lemole, and Spagna), 898 (Brief comm.)

Diuretic therapy

Effects of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without left ventricular hyper-trophy (Papademetriou et al.), 595

Doppler

A reconsideration of Doppler assessed gradients in suspected aortic stenosis (Krafchek et al.), 765 Clinically "silent" atrial septal defect: diagnosis by two-dimen-sional and Doppler echocardiography (Shub, Tajik, and Seward), 665 (Brief comm.)

Diagnosis of left ventricular pseudoaneurysm by pulsed Doppler echocardiography (Loperfido et al.), 1291 (Brief comm.)
Doppler evaluation of aortic coarctation (Come), 178 (Brief comm.)

Pulsed Doppler assessment of pulmonary vein obstruction (Smallhorn et al.), 483 (Brief comm.)

Drinking

Drinking and coronary heart disease: Albany Study (Gordon and Doyle), 331

Drug-electrophysiology

Drug-electrophysiology studies in infants, children, and adolescents (Kugler et al.), 144

E

ECG (electrocardiographic). See also electrocardiography Asymptomatic transient ST changes during ambulatory ECG monitoring in diabetic patients (Chiariello et al.), 529

Echocardiography(phic). See also Two-dimensional echocar-

diography

Aberrant systemic artery-pulmonary vein fistula: detection of occult lesion by contrast echocardiography (Wolf, Casta, and Swischuk), 480 (Brief comm.)

Clinical evaluation of left ventricular function using the cardiac helical fiber model: an echocardiographic study (Jobin et al.),

Contrast echocardiography by protein-carbonate foam (Rizayev and Azatyan), 1308 (Brief comm.)

Detection of round floating left atrial thrombus simulating left atrial myxoma by two-dimensional echocardiography (Zur-Binenboim et al.), 492 (Brief comm.)

Echocardiography(phie)-Cont'd

Diagnosis of discrete subaortic stenosis by pulsed and continuous wave echocardiography (Kinney et al.), 1069 (Brief comm)

Diagnosis of left ventricular pseudoaneurysm by pulsed Dopp-ler echocardiography (Loperfido et al.), 1291 (Brief commu-

Digital signal and image processing in echocardiography (Skorton et al.), 1266

Echocardiographic features of tetralogy of Fallot with an accessory tricuspid valve leaflet (LaCorte et al.), 1297 (Brief

Echocardiographic-electrocardiographic correlates (Zoneraich), 193 Echocardiographic evaluation of patients with systemic sar-coidosis (Lewin et al.), 116

Estimation of regional stress in left ventricular septum and free wall: echocardiographic study suggesting mechanism for asymmetric septal hypertrophy (Heng, Janz, and Jobin),

Long-term echocardiographic evaluation of cardiac size and function in patients with Kawasaki disease (Anderson, Meyer, and Kaplan), 107

Mitral-septal angle: A new two-dimensional echocardiographic index of left ventricular performance (Abinader et al.),

Multivessel ultivessel coronary spasm without electrocardiographic changes (Crea, Abela, and Pepine), 1064 (Brief comm.)

Quantitation of regional left ventricular function by twodimensional echocardiography in normals and patients with coronary artery disease (Ren et al.), 552 Renal cell carcinoma and right atrial tumor diagnosed by

echocardiography (Goldman et al.), 183 (Brief comm.)

Two-dimensional echocardiography versus surface electrocar-diography for diagnosis of acute non-Q wave myocardial infarction (Arvan and Varat), 44

Echographic

Spontaneous echographic contrast in the inferior vena cava (Meltzer et al.), 826

Ectopic

Rate-dependent, pacemaker-related concealed ventricular extrasystoles: entrainment of ectopic ventricular focus (Klein et al.), 165 (Brief comm.)

Lung density and pulmonary edema (Wollmer and Rhodes), 1323 (Letter)

Ejection fraction

Forward ejection fraction: new index of left ventricular function in mitral regurgitation (Clancy et al.), 658

Electrocardiogram(s)

The "false positive" exercise electrocardiogram: value of time course patterns in assessment of depressed ST segments and inverted T waves (Barlow), 1328 Electrocardiography(phic)

Comparative diagnostic value of exercise polarcardiography and 14-lead electrocardiography in detection of coronary artery disease (Lam et al.), 1237

Development and evolution of electrocardiographic Minnesota Q-QS codes in patients with acute myocardial infarction (Karnegis et al.), 452

Echocardiographic-electrocardiographic correlates (Zoneraich), 193

Electrocardiographic evidence suggestive of myocardial infarc-tion without significant organic heart disease (Proudfit and Heupler), 448

Two-dimensional echocardiography versus surface electrocardiography for diagnosis of acute non-Q wave myocardial infarction (Arvan and Varat), 44
Unipolar electrocardiography of Wilson: a half century later

(Kossmann), 901

Electrode

Esophageal electrocardiography using a balloon-tip electrode (Hardebeck and Abbottsmith), 677 (Brief comm.)

Electrophysiology(ic)

Aggravation of arrhythmia induced with antiarrhythmic drugs during electrophysiologic testing (Poser et al.), 9

Clinical electrophysiology of intravenous indecainide (Horowitz et al.), 784

Clinical significance of polymorphic ventricular tachycardia provoked at electrophysiologic testing (Torres, Flowers, and Somberg), 17 Electrophysiology(ic)-Cont'd

Drug-electrophysiology studies in infants, children, and adolescents (Kugler et al.), 144
Electrophysiologic testing in patients with recurrent syncope: are results predicted by prior ambulatory monitoring? (Reiffel et al.), 1146

Hypokalemia as cause of cardiac arrest: results of electrophysologic testing and long-term follow-up (Ruder et al.), 490 (Brief comm.)

Value of electrophysiologic studies in syncope of undetermined origin: report of 150 cases (Teichman et al.), 469

Embolization

Classification of left ventricular thrombi by their history of systemic embolization using pattern recognition of two-dimensional echocardiograms (Lloret et al.), 761

Late strut fracture and disc embolization in a 27 mm Björk-Shiley mitral valve prosthesis (Miccolo, Lemole, and Spagna), 898 (Brief comm.)

Embolus(li)

Intramural coronary arteritis from cholesterol emboli: rare cause of unstable angina preceding sudden death (Teja and Crampton), 168 (Brief comm.) Renal failure due to cholesterol emboli following PTCA (Tilley

et al.), 1301 (Brief comm.)

Encainide

Long-term efficacy and safety of oral encainide in treatment of chronic ventricular ectopic activity: relationship to plasma concentrations-a French multicenter trial (Dumoulin et al.), 575

Endocarditis

Pulmonic valve infective endocarditis (Sharma), 1318 (Letter) Reply (McManus, Rogler, and Cassling), 1318

Efficacy and safety of esmolol vs propranolol in treatment of supraventricular tachyarrhythmias: multicenter doubleblind clinical trial (Abrams et al.), 913 **Esophageal ECG**

Esophageal electrocardiography using a balloon-tip electrode (Hardebeck and Abbottsmith), 677 (Brief comm.)

Ethmozine (moricizine)
Safety and efficacy of a twice-daily dosing regimen for moricizine (ethmozine) (Morganroth), 1188

Body surface distributions of ST segment changes after exercise in effort angina pectoris without myocardial infarction (Kubota et al.), 949

Comparative diagnostic value of exercise polarcardiography and 14-lead electrocardiography in detection of coronary artery disease (Lam et al.), 1237

Decrease in ability to detect elevated lung thallium due to delay in commencing imaging after exercise (Rothendler et al.), 830

Effect of a new transdermal therapeutic system containing nitroglycerin on exercise capacity in patients with angina pectoris (Scardi et al.), 546

Improvement in exercise performance with nisoldipine, new second-generation calcium blocker, in stable angina patients (Lopez et al.), 991

Isosorbide dinitrate and exercise performance in patients with congestive heart failure (Franciosa), 245

Persistent defect on exercise thallium imaging and its fate after myocardial revascularization: does it represent scar or ischemia? (Liu et al.), 996

Prognostic implications of exercise thallium-201 scintigraphy patients with suspected or known coronary artery dis

(Iskandrian, Hakki, and Kane-Marsch), 135

Pulmonary versus systemic hemodynamics in determining exercise capacity of patients with chronic left ventricular failure (Franciosa, Baker, and Seth), 807

Radionuclide evaluation of exercise left ventricular performance of the property of th

mance in patients with coronary artery disease (Iskandrian and Hakki), 851

Serial studies of platelet factor 4 and beta thromboglobulin during exercise in patients with coronary artery disease

(Stauss et al.), 293
The "false positive" exercise electrocardiogram: value of time course patterns in assessment of depressed ST segments and inverted T waves (Barlow), 1328

Use of rest and exercise radionuclide ventriculography in risk stratification in patients with suspected coronary artery disease (Iskandrian et al.), 864 Extrasystoles

Rate-dependent, pacemaker-related concealed ventricular extrasystoles: entrainment of ectopic ventricular focus (Klein et al.), 165 (Brief comm.)

Fallot, tetralogy of

Echocardiographic features of tetralogy of Fallot with an accessory tricuspid valve leaflet (LaCorte et al.), 1297 (Brief comm.

Fiberoptic laser-heated cautery cap
Intravascular steerable guidewire for fiberoptic laser-heated
metal cautery cap in dissolution of human atherosclerotic
coronary disease (Lee et al.), 1304 (Brief comm.)

Flecainide

Hemodynamic effects of intravenous flecainide in acute non-complicated myocardial infarction (Cohen et al.), 1193

Foreword

Foreword to symposium on lipid regulation (Levy), 1099

14-lead ECG

Comparative diagnostic value of exercise polarcardiography and 14-lead electrocardiography in detection of coronary artery disease (Lam et al.), 1237

Framingham Study

Lipids, diabetes, and coronary heart disease: insights from Framingham Study (Kannel), 1100

Free fatty acids

Effects of acute hypertriglyceridemia and high levels of free fatty acids on left ventricular function (Pacold et al.), 836

French multicenter trial

Long-term efficacy and safety of oral encainide in treatment of chronic ventricular ectopic activity: relationship to plasma concentrations-a French multicenter trial (Dumoulin et al.), 575

G

Gender in MI

Acute myocardial infarction and gender-related prognosis (Conroy), 1320 (Letter) Reply (Puletti et al.), 1320

Giant myxoma

Asymptomatic giant RV myxoma (Pittaluga et al.), 1324 (Letter)

Health and Nutrition Survey
Third National Health and Nutrition Examination Survey (Maurer), 1327 (Letter)

Acute continuous argon-laser induced tissue effects in isolated canine heart (Ben-Shachar et al.), 65

Detection and sizing of myocardial ischemia and infarction by nuclear magnetic resonance imaging in the canine heart (Buda et al.), 1284

Duration of the QT interval as a function of heart rate: a

derivation based on physical principles and a comparison to measured values (Kovács), 872 Effect of bretylium and clofilium on dispersion of refractori-ness and vulnerability to ventricular fibrillation in ischemic feline heart (Kowey et al.), 363

Effects of ryanodine on cat papillary muscle and isolated rat heart (Blumlein et al.), 386

Incidence and clinical significance of accelerated junctional rhythm following open heart surgery (Kerr and Mason),

Magnetic resonance imaging in patients with hypoplastic right heart syndrome (Jacobstein et al.), 154 Natural human model of intrinsic heart nervous system dener-

vation: Chagas' cardiopathy (Oliveira), 1092

Origin of left anterior descending coronary artery from right aortic sinus with intramyocardial tunneling to left side of heart via ventricular septum: case against clinical and mor-phologic significance of myocardial bridging (Schulte et al.), 499 (Brief comm.)

Spontaneous and cold pressor test-induced prostaglandin bio-synthesis by human heart (Neri Serneri et al.), 50

Heart-Cont'd

Univentricular heart in adults: report of nine cases with review

of literature (Sagar and Mauck), 1059 Heart disease. See also Coronary disease, Congenital heart

Electrocardiographic evidence suggestive of myocardial infarc-

tion without significant organic heart disease (Proudfit and Heupler), 448 Heart disease in scleroderma (Goldman and Kotler), 1043

Tricuspid stenosis and regurgitation in rheumatic heart dis-ease: prospective cardiac catheterization study in 525 patients (Yousof et al.), 60

Heart failure. See also Congestive heart failure

Adverse clinical and hemodynamic effects of oral levodopa in chronic congestive heart failure (Shah, Amin, and Horn), 488 (Brief comm.)

Cooperative multicenter study of captopril in congestive heart failure: hemodynamic effects and long-term response (Chatterjee et al.), 439

Effects of new cardiotonic agent, MDL-17,043, on myocardial contractility and left ventricular performance in congestive heart failure (Strain et al.), 91

Isosorbide dinitrate and exercise performance in patients with congestive heart failure (Franciosa), 245

Role of isosorbide dinitrate in management of chronic congestive heart failure (Parmley), 264

Salutary hemodynamic and sustained clinical beneficial effects of nisoldipine, new calcium channel blocker, in patients with recurrent ischemia and severe heart failure (Kimchi et al.), 496 (Brief comm.)

Helical fiber model

Clinical evaluation of LV function using the cardiac helical fiber model: an echocardiographic study (Jobin et al.), 1226 Hemodynamic(s)

Adverse clinical and hemodynamic effects of oral levodopa in chronic congestive heart failure (Shah, Amin, and Horn), 488 (Brief comm.)

Combined hemodynamic effects of nifedipine and nitroglycerin in congestive heart failure (Kubo et al.), 1032

Comparison of the acute hemodynamic effects of prostacyclin and hydralazine in primary pulmonary hypertension (Groves et al.), 1200

Cooperative multicenter study of captopril in congestive heart failure: hemodynamic effects and long-term response (Chatterjee et al.), 439

Effects of indomethacin on systemic and coronary hemodynamics in patients with coronary artery disease (Forman et al.), 311

Hemodynamic effects of nitroglycerin and long-acting nitrates (Abrams), 216

Hemodynamic effects of verapamil in left ventricular valvular volume overload (Butman, Eagan, and Olson), 416
Salutary hemodynamic and sustained clinical beneficial effects

of nisoldipine, new calcium channel blocker, in patients with recurrent ischemia and severe heart failure (Kimchi et al.), 496 (Brief comm.)

Hemoperfusion

Therapy of digoxin intoxication in dogs by specific hemoperfusion through agarose polyacrolein microsphere beads-antidi-goxin antibodies (Marcus et al.), 30

Propylene glycol-induced heparin resistance during nitroglyc-erin infusion (Col et al.), 171 (Brief comm.)

Fulminant herpes simplex hepatitis following coronary bypass and postcardiotomy syndrome (Williams, Morgan, Denzler), 679 (Brief comm.)

Herpes simplex hepatitis

Fulminant herpes simplex hepatitis following coronary bypass and postcardiotomy syndrome (Williams, Morgan, and Denzler), 679 (Brief comm.)

His conduction block

Rapid atrial pacing-induced infra-His conduction block in children (Young et al.), 652

Honduran vector in Chagas' disease
Agent of Chagas' disease from Honduran vector capable of
developing in California insects: implications for cardiologists (Theis et al.), 605

HV conduction

Correlates of prolonged HV conduction in aortic stenosis (MacMillan et al.), 56

Hyaluronic acid

Pericardial mesothelioma: hyaluronic acid in pericardial fluid (Takeda et al.), 486 (Brief comm.)

Hydralazine

Comparison of the acute hemodynamic effects of prostacyclin and hydralazine in primary pulmonary hypertension (Groves et al.), 1200

Hypertension
Comparison of the acute hemodynamic effects of prostacyclin and hydralazine in primary pulmonary hypertension (Groves et al.), 1200 Right ventricular coronary flow in arterial hypertension (Wick-

er and Tarazi), 845

Risk factors and incidence of hypertension in black physicians: the Meharry Cohort Study (Thomas et al.), 637

Role of isosorbide dinitrate in treatment of perioperative hypertension (Thys, Sivak, and Kaplan), 273

Hypertensive Changes in left ventricular hypertrophy and function in hyper tensive patients started on continuous ambulatory peritoneal dialysis (Leenen et al.), 102

Long-acting nifedipine in moderate and severe hypertensive patients with serious concomitant diseases (Bursztyn, Grossman, and Rosenthal), 96

Hyperthyroidism

Mitral valve prolapse and hypethyroidism: effect of patient selection (Zullo et al.), 977

Hypertriglyceridemia

Effects of acute hypertriglyceridemia and high levels of free fatty acids on left ventricular function (Pacold et al.), 836

Hypertrophic cardiomyopathy
Improved evaluation of hypertrophic cardiomyopathy by biventriculography with axial projection (Kishomoto et al.),

Sudden death and hypertrophic cardiomyopathy (Tracy and

Epstein), 1326 (Letter) Hypertrophied myocardium

Increased injury of hypertrophied myocardium with ischemic arrest: preservation with hypothermia and cardioplegia arrest: preservation w (Menasche et al.), 1204

Hypertrophy (phic)
Changes in left ventricular hypertrophy and function in hypertensive patients started on continuous ambulatory peritoneal dialysis (Leenen et al.), 102

Estimation of regional stress in left ventricular septum and free wall: echocardiographic study suggesting mechanism for asymmetric septal hypertrophy (Heng, Janz, and Jobin), 84 Syncope in hypertrophic cardiomyopathy. I. Association with atrioventricular block (Khair and Bamrah), 1081 (Brief

Syncope in hypertrophic cardiomyopathy. II. Coexistence of atrioventricular block and Wolff-Parkinson-White syndrome (Khair, Soni, and Bamrah), 1083 (Brief comm.)

Hypokalemia

Hypokalemia as cause of cardiac arrest: results of electrophys iologic testing and long-term follow-up (Ruder et al.), 490 (Brief comm.

Hypoplastic right heart syndrome
Magnetic resonance imaging in patients with hypoplastic right
heart syndrome (Jacobstein et al.), 154

Hypothermia

Increased injury of hypertrophied myocardium with ischemic arrest: preservation with hypothermia and cardioplegia (Menasche et al.), 1204

Idiopathically failing hearts

Quantitative evaluation of inflammation in biopsy specimens from idiopathically failing or irritable hearts:experience in 80 pediatric and adult patients (Cassling et al.), 713

Indecainide

Clinical electrophysiology of intravenous indecainide (Horowitz et al.), 784

Indomethacin

Effects of indomethacin on systemic and coronary hemody-namics in patients with coronary artery disease (Forman et al.), 311

Infants

Drug-electrophysiology studies in infants, children, and adolescents (Kugler et al.), 144

Infarct size

Effect of the new calcium antagonist nisoldipine (BAY k-5552) on myocardial infarct size limitation in conscious dogs (Crottogini et al.), 753

Infarction

Arrhythmia inducibility and ventricular vulnerability in chron-ic feline infarction model (Wetstein et al.), 955

Chest pain after nontransmural infarction; absence of remediable coronary vasospasm (Eisenberg et al.), 515

M-mode and two-dimensional echocardiographic analysis of the septum in experimental right ventricular infarction:correlation with hemodynamic alterations (Sharkey et al.), 1210

Right ventricular infarction with shock but without significant left ventricular infarction: new clinical syndrome (Roberts et

al.), 1047

Infarction, myocardial. See Myocardial infarction Infective endocarditis

Pulmonic valve infective endocarditis (Sharma), 1318 (Letter) Reply (McManus, Rogler, and Cassling), 1318 Inflammation

Quantitative evaluation of inflammation in biopsy specimens from idiopathically failing or irritable hearts:experience in 80 pediatric and adult patients (Cassling et al.), 713

Interatrial

Right-to-left interatrial shunting with atrial septal defect and idiopathic right ventricular calcification (Reisner et al.), 182 (Brief Comm.)

Intervals, systolic and diastolic

Effect of acute standing and prolonged upright activity on LV hemodynamics, systolic and diastolic intervals and QT-QS₂ relationship (Boudoulas et al.), 623

Interventricular septal(um)

Two-dimensional echocardiographic determinants of interventricular septal configurations in right or left ventricular overload (Agata et al.), 819

Intra-aortic balloon(s)

Abrasion perforation of intra-aortic balloons (Kayser), 1311
(Letter to Editor) Reply (Mayerhofer, Billhardt, and Cod-

Intracoronary streptokinase

Long-term follow-up after intracoronary streptokinase therapy for acute myocardial infarction (Blanke et al.), 736

Intramyocardial tunneling

Origin of left anterior descending coronary artery from right aortic sinus with intramyocardial tunneling to left side of heart via ventricular septum: case against clinical and morphologic significance of myocardial bridging (Schulte et al.), 499 (Brief comm.)

Intravascular guidewire

Intravascular steerable guidewire for fiberoptic laser-heated metal cautery cap in dissolution of human atherosclerotic coronary disease (Lee et al.), 1304 (Brief comm.) Iopamidol

Changes in left ventricular diastolic function after left ventriculography:comparison with iopamidol and urografin (Tani et al.), 617

Ischemia

Alterations in the distribution of high-energy phosphates dur-ing ischemia in a canine model of reperfusion-induced ventricular fibrillation (Hale et al.), 590

Anti-ischemic actions of a new thromboxane receptor antagonist during acute myocardial ischemia in cats (Brezinski et

Detection and sizing of myocardial ischemia and infarction by nuclear magnetic resonance imaging in the canine heart (Buda et al.), 1284

Myocardial phosphocreatine rebound following reversible is-chemia (Schaper), 1321 (Letter) Reply (Ichihara and Abiko),

Persistent defect on exercise thallium imaging and its fate after myocardial revascularization: does it represent scar or ischemia? (Liu et al.), 996

Salutary hemodynamic and sustained clinical beneficial effects of nisoldipine, new calcium channel blocker, in patients with recurrent ischemia and severe heart failure (Kimchi et al.), 496 (Brief comm.)

Ischemic

Effect of bretylium and clofilium on dispersion of refractoriness and vulnerability to ventricular fibrillation in ischemic feline heart (Kowey et al.), 363

Ischemic-Cont'd

Increased injury of hypertrophied myocardium with ischemic arrest:preservation with hypothermia and cardioplegia (Menasche et al.), 1204

Ischemic heart disease:part of the premenstrual syndrome? (Sanz and Godfrey), 672 (Brief comm.)

Isoproterenol

Isoproterenol in cardiac tamponade (Spodick), 1317 (Letter) Reply (Cohen), 1318 Isosorbide dinitrate

Arteriographic demonstration of release of coronary artery spasm by isosorbide dinitrate: twenty-five-year retrospective (Gensini), 201

Combination therapy with isosorbide dinitrate: current status and the future (Schroeder), 284
High-dose isosorbide dinitrate in management of angina pectoris (Tremblay), 280

History of synthesis and pharmacology of isosorbide dinitrate

Isosorbide dinitrate and exercise performance in patients with congestive heart failure (Franciosa), 245
Isocorbide dinitrate and nifedipine in variant angina pectoris

(Conti et al.), 251 Pharmacokinetics and pharmacodynamics of isosorbide dini-

trate (Fung), 213
Role of isosorbide dinitrate in management of chronic congestive heart failure (Parmley), 264

Role of isosorbide dinitrate in patients with unstable angina

pectoris (Rackley), 269
Role of isosorbide dinitrate in treatment of perioperative hypertension (Thys, Sivak, and Kaplan), 273
Studies on mode of action of isosorbide dinitrate: physiologic

and biochemical approach (Matlib et al.), 204

I

Junctional rhythm Incidence and clinical significance of accelerated junctional rhythm following open heart surgery (Kerr and Mason),

K

Kawasaki disease

Kawasaki disease complicated by acute myocardial infarction 9 years after onset (Ohyagi et al.), 670 (Brief comm.)

Long-term echocardiographic evaluation of cardiac size and function in patients with Kawasaki disease (Anderson, Mey-er, and Kaplan), 107

L

Laser

Applicability of laser to assist coronary balloon angioplasty (Lee et al.), 1233

Intravascular steerable guidewire for fiberoptic laser-heated metal cautery cap in dissolution of human atherosclerotic coronary disease (Lee et al.), 1304 (Brief comm.)

Late potentials

Influence of left ventricular function on signal averaged late potentials in patients with coronary artery disease with and without ventricular tachycardia (Pollak et al.), 747

Left coronary artery
Reduced atrial natriuretic factor after ligation of the left
coronary artery in rats (Rector, Carlyle, and Cohn), 1197

Left ventricle, left ventricular

Accuracy of biplane axial oblique and oblique cineangiographic LV cast volume determinations using a modification of Simpson's rule algorithm (Starling and Walsh), 1219

ssessment of left ventricular diastolic filling: comparison of fixed and varying region of interest approaches (Inouye et

Changes in left ventricular hypertrophy and function in hypertensive patients started on continuous ambulatory peritoneal dialysis (Leenen et al.), 102

Classification of left ventricular thrombi by their history of systemic embolization using pattern recognition of two-dimensional echocardiograms (Lloret et al.), 761

Left ventricle, left ventricular-Cont'd

Diagnosis of left ventricular pseudoaneurysm by pulsed Doppler echocardiography (Loperfido et al.), 1291 (Brief comm.)

Effect of acute standing and prolonged upright activity on LV hemodynamics, systolic and diastolic intervals, and QT-QS₂ relationship (Boudoulas et al.), 623

Effect of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without left ventricular hypertrophy (Papademetriou et al.), 595

Effects of new cardiotonic agent, MDL-17,043, on myocardial contractility and left ventricular performance in congestive heart failure (Strain et al.), 91

Estimation of regional stress in left ventricular septum and free wall: echocardiographic study suggesting mechanism for asymmetric septal hypertrophy (Heng, Janz, and Jobin), 84 Hemodynamic effects of verapamil in left ventricular valvular volume overload (Butman, Eagan, and Olson), 416

Left ventricular diastolic filling in patients with coronary artery disease and normal left ventricular function (Lavine et al.), 318

Left ventricular filling is usually normal in uncomplicated coronary disease (Inouye et al.), 326

LV outflow tract obstruction in complete transposition of the great arteries (Glaser, Balkin, and Farber), 1314 (Letter) Reply (Vitarelli), 1317

Left ventricular performance in septic shock: reversible seg-mental and global abnormalities (Ellrodt et al.), 402 Left ventricular pressure/volume relationship in aortic regurgi-

tation (Iskandrian, Hakki, and Kane-Marsch), 1026

Mitral-septal angle: new two-dimensional echocardiographic index of left ventricular performance (Abinader et al.), 381 Radionuclide evaluation of exercise left ventricular performance in patients with coronary artery disease (Iskandrian

Reproducibility of nongeometric analysis of cardiac output and left ventricular volume by radionuclide angiography (Jeremy et al.). 1020

Right ventricular infarction with shock but without significant left ventricular infarction: new clinical syndrome (Roberts et

Two-dimensional echocardiographic determinants of interven-tricular septal configurations in right or left ventricular overload (Agata et al.), 819

Left ventricular failure

Mechanisms of nitrate action in patients with severe left ventricular failure: conceptual problems with theory of venosequestration (Packer), 259

Pulmonary versus systemic hemodynamics in determining exercise capacity of patients with chronic left ventricular failure (Franciosa, Baker, and Seth), 807

Left ventricular function

Clinical evaluation of left ventricular function using the cardiac helical fiber model:an echocardiographic study (Jobin et al.), Effects of acute hypertriglyceridemia and high levels of free

fatty acids on left ventricular function (Pacold et al.), 836 Forward ejection fraction:new index of left ventricular function in mitral regurgitation (Clancy et al.), 658 Influence of left ventricular function on signal averaged late

potentials in patients with coronary artery disease with and without ventricular tachycardia (Pollak et al.), 747

Left ventricular diastolic filling in patients with coronary artery disease and normal left ventricular function (Lavine et al.), 318

Quantitation of regional left ventricular function by twodimensional echocardiography in normals and patients with

coronary artery disease (Ren et al.), 552
Regional left ventricular systolic function in patients with segmental early relaxation and single-vessel coronary artery disease (Sabbah et al.), 1001

Aberrant systemic artery-pulmonary vein fistula: detection of occult lesion by contrast echocardiography (Wolf, Casta, and Swischuk), 480 (Brief comm.)

Coronary artery spasm and vascular nerve lesion (Kohchi et al.), 1071 (Brief comm.)

Leukemia Cardiac tamponade as first manifestation of acute lymphoblas-tic leukemia in a patient with echographic evidence of mediastinal lymph nodal enlargement (Mancuso et al.), 1303 Levodopa

Adverse clinical and hemodynamic effects of oral levodopa in chronic congestive heart failure (Shah, Amin, and Horn), 488 (Brief comm.)

Lidocaine

Antifibrillatory effects of lidocaine and bretylium immediately postcardiopulmonary resuscitation (Chow et al.), 938 Prophylactic lidocaine in early phase of suspected myocardial infarction (Dunn et al.), 353

Light chain deposition Myocardial necrosis in light chain deposition (Staros and Katz), 1295 (Brief comm.)

Lipids, diabetes, and coronary heart disease: insights from Framingham Study (Kannel), 1100

Primary prevention of coronary heart disease by lowering lipids: results and implications (Levy), 1116

Secondary prevention and lipid lowering: results and implica-tions (Detre et al.), 1123

Lipoprotein cholesterol

high-density lipoprotein cholesterol and angiographic coro-nary artery disease in black patients (Cooper et al.), 1006 Nonpharmacologic and pharmacologic alteration of high-density lipoprotein cholesterol: therapeutic approaches to prevention of atherosclerosis (Glueck), 1107

Lorcainide

Initial and long-term outpatient experience with lorcainide for suppression of malignant and potentially malignant ventric-ular arrhythmias (Anastasiou-Nana et al.), 1168

Decrease in the ability to detect elevated lung thallium due to delay in commencing imaging after exercise (Rothendler et

Lung density and pulmonary edema (Wollmer and Rhodes), 1323 (Letter)

Lupus erythematosus

Cardiovascular manifestations of systemic lupus erythematosus (Doherty and Siegel), 1257

Lymph nodal enlargement

Cardiac tamponade as first manifestation of acute lymphoblastic leukemia in a patient with echographic evidence of mediastinal lymph nodal enlargement (Mancuso et al.), 1303 (Brief comm.

Lymphoblastic leukemia

Cardiac tamponade as first manifestation of acute lymphoblastic leukemia in a patient with echographic evidence of mediastinal lymph nodal enlargement (Mancuso et al.), 1303 (Brief comm.)

M

Magnesium

Magnesium and potassium therapy in multifocal atrial tachycardia (Iseri et al.), 789

Magnetic resonance imaging (MRI)

Ascending aortic dissection:detection by MRI (Hill et al.), 894 (Brief comm.)

Detection and sizing of myocardial ischemia and infarction by nuclear magnetic resonance imaging in the canine heart (Buda et al.), 1284

Magnetic resonance imaging in patients with hypoplastic right heart syndrome (Jacobstein et al.), 154 Malignant ventricular arrhythmias

Initial and long-term outpatient experience with lorcainide for suppression of malignant and potentially malignant ventricular arrhythmias (Anastasiou-Nana et al.), 1168

MDL-17,043

Effects of new cardiotonic agent, MDL-17,043, on myocardial contractility and left ventricular performance in congestive heart failure (Strain et al.), 91

Megakaryocyte

Shortened megakaryocyte-platelet regeneration time in young survivors of myocardial infarction (Hamsten et al.), 1154

Meharry Cohort Study

Risk factors and incidence of hypertension in black physi-cians: the Meharry Cohort Study (Thomas et al.), 637

Logistic regression analysis of multiple noninvasive tests for prediction of presence and extent of coronary artery disease in men (Hung et al.), 460

Meobentine sulfate

Meobentine sulfate:antiarrhythmic and electrophysiologic effects assessed by programmed electrical stimulation and ambulatory monitoring in patients with complex ventricular tachyarrhythmia. Report of multicenter evaluation (Anderson et al.), 774

Mesothelioma

Pericardial mesothelioma: hvaluronic acid in pericardial fluid (Takeda et al.), 486 (Brief comm.)

Metastasis

Metastatic carcinoma involving the left atrium (Lang, Borow, and Neumann), 884 (Brief comm.)

Mexiletine: double-blind comparison with procainamide in PVC suppression and open-label sequential comparison with amiodarone in life-threatening ventricular arrhythmias (Nademanee et al.), 923

Mid-diastolic closure

Atrial flutter causing mid-diastolic closure of Björk-Shiley mitral prosthesis (Cogswell and Wann), 482 (Brief comm.)

Military officers, middle-aged
Reduction in type A behavior in healthy middle-aged American military officers (Gill et al.), 503

Milrinone in congestive heart failure: observations on ambulatory ventricular arrhythmias (Holmes et al.), 800 Milrinone in treatment of chronic cardiac failure: controlled

trial (Likoff et al.), 1035 Minnesota Q-QS codes

Development and evolution of electrocardiographic Minnesota Q-QS codes in patients with acute myocardial infarction (Karnegis et al.), 452

Mitral

Atrial flutter causing mid-diastolic closure of Björk-Shiley mitral prosthesis (Cogswell and Wann), 482 (Brief communi-

Experience with outlet strut fracture of the Björk-Shiley convexoconcave mitral valve prosthesis (Mok et al.), 814
Forward ejection fraction:new index of left ventricular function

in mitral regurgitation (Clancy et al.), 658

Maternal mitral valve prolapse and congenital heart disease in the offspring (Ferencz et al.), 899 (Brief comm.) Mitral-septal angle: new two-dimensional echocardiographic index of left ventricular performance (Abinader et al.), 381 Thrombectomy for obstructed Björk-Shiley mitral prosthesis (Kaul and Venugopal), 1323 (Letter)

Mitral valve prolapse

Mitral valve prolapse and hyperthyroidism: effect of patient selection (Zullo et al.), 977

Yield of programmed ventricular stimulation in mitral valve prolapse patients with ventricular arrhythmias (Rosenthal et

M-mode echocardiography(phic)
M-Mode and two-dimensional echocardiographic analysis of the septum in experimental right ventricular infarction:correlation with hemodynamic alterations (Sharkey et al.), 1210 Morbidity

Analysis of morbidity and mortality in patients 70 years of age and over undergoing isolated coronary artery bypass surgery (Rose et al.), 341 Moricizine (ethmozine)

Safety and efficacy of a twice-daily dosing regimen for moricizine (ethmozine) (Morganroth), 1188

Mortality

Analysis of morbidity and mortality in patients 70 years of age and over undergoing isolated coronary artery bypass surgery (Rose et al.), 341

Influence of long-acting nitrate therapy on risk of reinfarction, sudden death, and total mortality in survivors of acute myocardial infarction (Rapaport), 276

MRI (Magnetic resonance imaging). See also Magnetic resonance imaging
Ascending aortic dissection:detection by MRI (Hill et al.), 894

(Brief comm.) Multivariate analysis

Prediction of survival in progressive systemic sclerosis by multivariate analysis of clinical features (Wynn et al.), 123

Myocardial

Absence of myocardial biochemical toxicity with a nonionic contrast agent (iopamidol) (Wisneski et al.), 609

Myocardial-Cont'd

Constrictive pericarditis following myocardial revasculariza-tion: possible cause of graft occlusion (Kabbani et al.), 493 (Brief comm.)

Effect of the new calcium antagonist nisoldipine (BAY k-5552) on myocardial infarct size limitation in conscious dogs (Crottogini et al.), 753

Effects of new cardiotonic agent, MDL-17,043, on myocardial contractility and left ventricular performance in congestive heart failure (Strain et al.), 91

Improved myocardial oxygen utilization by diltiazem in mpatients (Kern et al.), 986
Myocardial necrosis in light chain deposition (Staros and Katz), 1295 (Brief comm.)
Myocardial phosphocreatine rebound following reversible is-

chemia (Schaper), 1321 (Letter) Reply (Ichihara and Abiko),

Newer technologies for study of action of nitrates in coronary circulation and myocardial function (Swan), 233

Origin of left anterior descending coronary artery from right aortic sinus with intramyocardial tunneling to left side of heart via ventricular septum: case against clinical and morphologic significance of myocardial bridging (Schulte et al.), 499 (Brief Comm.)

Persistent defect on exercise thallium imaging and its fate after myocardial revascularization: does it represent scar or ische-

mia? (Liu et al.), 996

Potentiation by calcium channel blockade of hypoxic myocardial depression in the neonate (Downing), 395

Myocardial infarction

Acute myocardial infarction and gender-related prognosis (Conroy), 1320 (Letter) Reply (Puletti et al.), 1320 Anticoagulant therapy in acute myocardial infarction (Loeliger), 1322 (Letter)

Atrial myxoma presenting as acute myocardial infarction (Lehrman, Prozan, and Ullyot), 1293 (Brief comm.)
Body surface distributions of ST segment changes after exer-

cise in effort angina pectoris without myocardial infarction (Kubota et al.), 949 Circulating catecholamine and potassium concentrations early

in acute myocardial infarction: effect of intervention with

timolol (Nordrehaug et al.), 944 Course of chest pain and its relation to CK release and ST/QRSvector changes in patients with acute myocardial infarction randomized to treatment with intravenous timolol or placebo (Sederholm et al.), 521

Detection and sizing of myocardial ischemia and infarction by nuclear magnetic resonance imaging in the canine heart (Buda et al.), 1284

Development and evolution of electrocardiographic Minnesota Q-QS codes in patients with acute myocardial infarction (Karnegis et al.), 452

Electrocardiographic evidence suggestive of myocardial infarction without significant organic heart disease (Proudfit and Heupler), 448

Hemodynamic effects of intravenous flecainide in acute noncomplicated myocardial infarction (Cohen et al.), 1193 Influence of long-acting nitrate therapy on risk of reinfarction,

sudden death, and total mortality in survivors of acute myocardial infarction (Rapaport), 276 Kawasaki disease complicated by acute myocardial infarction 9 years after onset (Ohyagi et al.), 670 (Brief comm.)

Long-term follow-up after intracoronary streptokinase therapy for acute myocardial infarction (Blanke et al.), 736

Myocardial infarction: thoughts about pathogenesis and role of coronary artery spasm (Conti), 187
Prophylactic lidocaine in early phase of suspected myocardial

infarction (Dunn et al.), 353

Relationship of delayed depolarization to the QT interval after acute myocardial infarction (Marinchak, Kline, and Engel), 742

Safety of static-dynamic effort soon after myocardial infarction (Wilke et al.), 542

Shortened megakaryocyte-platelet regeneration time in young survivors of myocardial infarction (Hamsten, Svensson, Walldius, Szamosi, and de Faire), 1154

Smoking status at time of acute myocardial infarction and

subsequent prognosis (Kelly et al.), 535

Technetium-99m-pyrophosphate scintigraphy in patients with suspected acute myocardial infarction: impact of interobserver variability (Fisher et al.), 347

Myocardial infarction-Cont'd

Two-dimensional echocardiography versus surface electrocar-diography for diagnosis of acute non-Q wave myocardial infarction (Arvan and Varat), 44

Ventricular septal rupture following a clinically unrecognized myocardial infarction (Brush et al.), 667 (Brief comm.)

Myocardial ischemia

Anti-ischemic actions of a new thromboxane receptor antago-nist during acute myocardial ischemia in cats (Brezinski et al.), 1161

Detection and sizing of myocardial ischemia and infarction by nuclear magnetic resonance imaging in the canine heart (Buda et al.), 1284

Myocarditis

Postpartum cardiomyopathy and acute myocarditis (Huerta et al.), 1079 (Brief comm.)

Myocardium

Increased injury of hypertrophied myocardium with ischemic arrest-preservation with hypothermia and cardioplegia (Menasche et al.), 1204

Asymptomatic giant RV myxoma (Pittaluga et al.), 1324 (Let-Atrial myxoma presenting as acute myocardial infarction (Lehrman, Prozan, and Ullyot), 1293 (Brief comm.)

Detection of round floating left atrial thrombus simulating left atrial myxoma by two-dimensional echocardiography (Zur-Binenboim et al.), 492 (Brief comm.)

Pulmonary tumor embolism and right atrial myxoma detected by two-dimensional echocardiography (Keller et al.), 881 (Brief comm.)

Streptococcus viridans bacteremia associated with atrial myxoma (Frandsen, Prichard, and Storz), 180 (Brief comm.)

Natriuretic factor

Reduced atrial natriuretic factor after ligation of the left coronary artery in rats (Rector, Carlyle, and Cohn), 1197 (Clinical investigation)

Necrosis

Myocardial necrosis in light chain deposition (Staros and Katz), 1295 (Brief comm.)

Neonate

Potentiation by calcium channel blockade of hypoxic myocardial depression in the neonate (Downing), 395 Neutropenia

Neutropenia and procainamide (Katkov and Ellrodt), 1321 (Letter) Reply (Gonzalez and Meyers), 1322 Nifedipine

Combined hemodynamic effects of nifedipine and nitroglycerin

in congestive heart failure (Kubo et al.), 1032 Isosorbide dinitrate and nifedipine in variant angina pectoris

(Conti et al.), 251 Long-acting nifedipine in moderate and severe hypertensive patients with serious concomitant diseases (Bursztyn, Gross-

man, and Rosenthal), 96 Nisoldipine (BAY k-5552)

Effect of the new calcium antagonist nisoldipine (BAY k-5552) on myocardial infarct size limitation in conscious dogs (Crottogini et al.), 753

Improvement in exercise performance with nisoldipine, new second-generation calcium blocker, in stable angina patients (Lopez et al.), 991

Salutary hemodynamic and sustained clinical beneficial effects of nisoldipine, new calcium channel blocker, in patients with recurrent ischemia and severe heart failure (Kimchi et al.), 496 (Brief comm.)

Nitrate(s)

Hemodynamic effects of nitroglycerin and long-acting nitrates (Abrams), 216

Improved coronary supply: prevailing mechanism of action of nitrates in chronic stable angina (Kaski et al.), 238

Influence of long-acting nitrate therapy on risk of reinfarction, sudden death, and total mortality in survivors of acute myocardial infarction (Rapaport), 276

Mechanisms of nitrate action in patients with severe left ventricular failure: conceptual problems with theory of veno-sequestration (Packer), 259

Nitrate(s)-Cont'd

Newer technologies for study of action of nitrates in coronary circulation and myocardial function (Swan), 233 Nitrate tolerance (Leier), 224

Combined hemodynamic effects of nifedipine and nitroglycerin in congestive heart failure (Kubo et al.), 1032 Effect of a new transdermal therapeutic system containing nitroglycerin on exercise capacity in patients with angina pectoris (Scardi et al.), 546

Hemodynamic effects of nitroglycerin and long-acting nitrates (Abrams), 216

Propylene glycol-induced heparin resistance during nitroglycerin infusion (Col et al.), 171 (Brief comm.)

Nonpharmacologic

Nonpharmacologic and pharmacologic alteration of high-density lipoprotein cholesterol: therapeutic approaches to prevention of atherosclerosis (Glueck), 1107

Nuclear MRI

Detection and sizing of myocardial ischemia and infarction by nuclear magnetic resonance imaging in the canine heart (Buda et al.), 1284

Nutrition and Health Survey
Third National Health and Nutrition Examination Survey (Maurer), 1327 (Letter).

Oblique cineangiography

Accuracy of biplane axial oblique and oblique cineangiographic left ventricular cast volume determinations using a modification of Simpson's rule algorithm (Starling and Walsh), 1219

Occlusion

Constrictive pericarditis following myocardial revasculariza-tion: possible cause of graft occlusion (Kabbani et al.), 493 (Brief comm.)

Sequential and reversible multiple vessel coronary occlusion following angioplasty (Gianelly, Hafer, and Schweiger), 1063

Occult arrhythmias

Occult arrhythmias and syncope in children (Sapire and Wolf), 1311 (Letter) Reply (Beder and Cohen), 1312

Organic heart disease

Electrocardiographic evidence suggestive of myocardial infarction without significant organic heart disease (Proudfit and Heupler), 448 Osteosarcoma

Cardiac osteosarcoma (Schneiderman), 1319 (Letter) Reply

(Reynard), 1319 Ostium primum defect repair Twenty-year review of ostium primum defect repair in children (Portman et al.), 1054

Outlet strut fracture Experience with outlet strut fracture of the Björk-Shiley convexoconcave mitral valve prosthesis (Mok et al.), 814

Overload, ventricular

Two-dimensional echocardiographic determinants of interven-tricular septal configurations in right or left ventricular overload (Agata et al.), 819

Pacemaker

Rate-dependent, pacemaker-related concealed ventricular extrasystoles: entrainment of ectopic ventricular focus (Klein et al.), 165 (Brief comm.)

Pacing

Permanent cardiac pacing in patients on chronic renal dialysis (Leman, Kratz, and Gazes), 1242 Programmable extrastimulus pacing for long-term manage-ment of supraventricular and ventricular tachycardias:clinical experience in 16 patients (Bertholat tal.), 582
Pseudo tricuspid regurgitation in ventricular pacing (Jacobs et

al.), 886 (Brief comm.)

Papillary muscle Effects of ryanodine on cat capillary muscle and isolated rat heart (Blumlein et al.), 386

Pathogenesis

Myocardial infarction: thoughts about pathogenesis and role of coronary artery spasm (Conti), 187

Pediatrics, American Academy of -27th Annual Meet-

Program and Abstracts: American Academy of Pediatrics, Section on Cardiology-27th Annual Meeting, 695

Pediatric cardiology Challenge of the future in pediatric cardiology (Riemenschneider), 685

Percutaneous transluminal coronary angioplasty (PTCA)

Distal coronary artery perfusion during percutaneous transluminal coronary angioplasty (Anderson et al.), 720 Renal failure due to cholesterol emboli following PTCA (Tilley

et al.), 1301 (Brief comm.) Pericardial

Pericardial mesothelioma: hyaluronic acid in pericardial fluid

(Takeda et al.), 486 (Brief comm.)
Undrained bloody pericardial effusion in early postoperative period after coronary bypass surgery: prospective blood pool study (Viguerat et al.), 335

Constrictive pericarditis following myocardial revasculariza-tion: possible cause of graft occlusion (Kabbani et al.), 493 (Brief comm.)

Significance of inspiratory premature opening of pulmonic valve in constrictive pericarditis (Vandenbossche et al.), 896 (Brief comm.)

Perioperative hypertension
Role of isosorbide dinitrate in treatment of perioperative hypertension (Thys, Sivak, and Kaplan), 273

Peritoneal dialysis

Changes in left ventricular hypertrophy and function in hypertensive patients started on continuous ambulatory peritoneal dialysis (Leenen et al.), 102
Procainamide administration during continuous ambulatory

peritoneal dialysis (Raehl et al.), 1306 (Brief comm.)

Pharmacodynamics

Age-related changes in pharmacodynamics of verapamil (Arnold, Vallner, and Tackett), 981

Pharmacokinetics and pharmacodynamics of isosorbide dini-

trate (Fung), 213

Pharmacokinetics Pharmacokinetics and pharmacodynamics of isosorbide dini-

trate (Fung), 213
Pharmacology(ic)

History of synthesis and pharmacology of isosorbide dinitrate (Carr), 197

Nonpharmacologic and pharmacologic alteration of high-density lipoprotein cholesterol: therapeutic approaches to prevention of atherosclerosis (Glueck), 1107

Phosphates

Alterations in the distribution of high-energy phosphates during ischemia in a canine model of reperfusion-induced ventricular fibrillation (Hale et al.), 590

Phosphocreatine

Myocardial phosphocreatine rebound following reversible is-chemia (Schaper), 1321 (Letter) Reply (Ichihara and Abiko), 1321

Physiology(ic)

Studies on mode of action of isosorbide dinitrate: physiologic and biochemical approach (Matlib et al.), 204

Plasma concentrations

Long-term efficacy and safety of oral encainide in treatment of chronic ventricular ectopic activity: relationship to plasma concentrations—a French multicenter trial (Dumoulin et al.), 575

Platelet Serial studies of platelet factor 4 and beta thromboglobulin during exercise in patients with coronary artery disease (Strauss et al.), 293

Shortened megakaryocyte-platelet regeneration time in young survivors of myocardial infarction (Hamsten et al.), 1154

Polarcardiography Comparative diagnostic value of exercise polarcardiography and 14-lead electrocardiography in detection of coronary artery disease (Lam et al.), 1237

Porcine bioprosthetic valve Angiographic diagnosis of inward flexion of porcine biopros-thetic valve stents (Kemp et al.), 673 (Brief comm.)

Postcardiopulmonary resuscitation
Antifibrillatory effects of lidocaine and bretylium immediately

postcardiopulmonary resuscitation (Chow et al.), 938

Postcardiotomy syndrome

Fulminant herpes simplex hepatitis following coronary bypass and postcardiotomy syndrome (Williams, Morgan, and Denzler), 679 (Brief comm.)

Potassium

Circulating catecholamine and potassium concentrations early in acute myocardial infarction: effect of intervention with timolol (Nordrehaug et al.), 944 Magnesium and potassium therapy in multifocal atrial tachy-

cardia (Iseri et al.), 789

Premenstrual syndrome
Ischemic heart disease:part of the premenstrual syndrome?
(Sanz and Godfrey), 672 (Brief comm.)

Procainamide

Mexiletine: double-blind comparison with procainamide in PVC suppression and open-label sequential comparison with amiodarone in life-threatening ventricular arrhythmias (Nademanee et al.), 923

Neutropenia and procainamide (Katkov and Ellrodt), 1321 (Letter) Reply (Gonzalez and Meyers), 1322

Procainamide administration during continuous ambulatory peritoneal dialysis (Raehl et al.), 1306 (Brief comm.)

Program and Abstracts:AAP

Program and Abstracts:American Academy of Pediatrics, Sec-

tion on Cardiology-27th Annual Meeting, 695

Programmed stimulation

Meobentine sulfate:antiarrhythmic and electrophysiologic effects assessed by programmed electrical stimulation and ambulatory monitoring in patients with complex ventricular tachyarrhythmia. Report of multicenter evaluation (Ander-

Yield of programmed ventricular stimulation in mitral valve prolapse patients with ventricular arrhythmias (Rosenthal et al.), 970

Prolapse, valve. See also Mitral valve prolapse
Maternal mitral valve prolapse and congenital heart disease in
the offspring (Ferencz et al.), 899 (Brief comm.)

Propafenone

Aggravation of electrically provoked ventricular tachycardia during treatment with propafenone (Stavens et al.), 24 Propafenone therapy for ventricular tachycardia in the setting

of congestive heart failure (Brodsky et al.), 794

Propranolol
Efficacy and safety of esmolol vs propranolol in treatment of supraventricular tachyarrhythmias: multicenter double-blind clinical trial (Abrams et al.), 913

Intravenous propranolol in treatment of repetitive ventricular tachyarrhythmias during resuscitation from sudden death (Mason et al.), 161 (Brief comm.)

Symptomatic sinus bradycardia during concomitant proprano-lol-verapamil administration (Winniford, Fulton, and Hillis), 498 (Brief comm.)

Propylene glycol

Propylene glycol-induced heparin resistance during nitroglycerin infusion (Col et al.), 171 (Brief comm.)

Prostacyclin

Comparison of the acute hemodynamic effects of prostacyclin and hydralazine in primary pulmonary hypertension (Groves et al.), 1200

Prostaglandin

Spontaneous and cold pressor test-induced prostaglandin biosynthesis by human heart (Neri Serneri et al.), 50

Prosthesis, valve

Experience with outlet strut fracture of the Björk-Shiley convexoconcave mitral valve prosthesis (Mok et al.), 814
Thrombectomy for obstructed Björk-Shiley mitral prosthesis (Kaul and Venugopal), 1323 (Letter)
Protein-carbonate foam
Contrast echocardiography by protein-carbonate foam (Rizayev and Azatyan), 1308 (Brief comm.)

Pseudoaneurysm
Diagnosis of left ventricular pseudoaneurysm by pulsed Doppler echocardiography (Loperfido et al.), 1291 (Brief comm.)
PTCA. See also Percutaneous transluminal coronary angioplas-

Distal coronary artery perfusion during percutaneous transluminal coronary angioplasty (Anderson et al.), 720

Pulmonary

Aberrant systemic artery-pulmonary vein fistula: detection of occult lesion by contrast echocardiography (Wolf, Casta, and Swischuk), 480 (Brief comm.)

Pulmonary-Cont'd

Comparison of the acute hemodynamic effects of prostacyclin and hydralazine in primary pulmonary hypertension (Groves et al.), 1200 Lung density and pulmonary edema (Wollmer and Rhodes),

1323 (Letter)

Pulmonary and subclavian steal following Blalock-Taussig shunt (Casta and Conti), 1313 (Letter) Reply (Agarwal),

Pulmonary tumor embolism and right atrial myxoma detected by two-dimensional echocardiography (Keller et al.), 881 (Brief comm.)

Pulmonary versus systemic hemodynamics in determining exercise capacity of patients with chronic left ventricular failure (Franciosa, Baker, and Seth), 807

Pulsed Doppler assessment of pulmonary vein obstruction (Smallhorn et al.), 483 (Brief comm.)

Pulmonic valve

Pulmonic valve infective endocarditis (Sharma), 1318 (Letter) Reply (McManus, Rogler, and Cassling), 1318

Significance of inspiratory premature opening of pulmonic valve in constrictive pericarditis (Vandenbossche et al.), 896 (Brief comm.)

Pulsed pressure augmentation

Effects of pulsed external augmentation of diastolic pressure on coronary and systemic hemodynamics in patients with coronary artery disease (Kern et al.), 727

PVC suppression

Mexiletine: double-blind comparison with procainamide in PVC suppression and open-label sequential comparison with amiodarone in life-threatening ventricular arrhythmias (Nademanee et al.), 923

Q

Q wave(s)

Persistent Q waves with restoration of normal ventricular contractility after emergency coronary reperfusion (Bashour and Goldshlager), 888 (Brief comm.)

QT interval

Duration of the QT interval as a function of heart rate: a derivation based on physical principles and a comparison to

measured values (Kovács), 872
Relationship of delayed depolarization to the QT interval after acute myocardial infarction (Marinchak, Kline, and Engel),

QT-QS, relationship

Effect of acute standing and prolonged upright activity on LV hemodynamics, systolic and diastolic intervals and QT-QS₂ relationship (Boudoulas et al.), 623

Quinidine

Comparative efficacy and safety of oral cibenzoline and quinidine in ventricular arrhythmias: a randomized crossover study (Wasty, Saksena, and Barr), 1181 Comparative efficacy and safety of short-acting and sustained release quinidine in treatment of patients with ventricular

arrhythmias (Morganroth and Hunter), 1176

R

Radionuclide

Radionuclide evaluation of exercise left ventricular performance in patients with coronary artery disease (Iskandrian and Hakki), 851

Reproducibility of nongeometric analysis of cardiac output and left ventricular volume by radionuclide angiography (Jeremy et al.), 1020

Use of rest and exercise radionuclide ventriculography in risk stratification in patients with suspected coronary artery disease (Iskandrian et al.), 864

Refractoriness

Effect of bretylium and clofilium on dispersion of refractoriness and vulnerability to ventricular fibrillation in ischemic feline heart (Kowey et al.), 363

Region of interest

Assessment of left ventricular diastolic filling: comparison of fixed and varying region of interest approaches (Inouye et al.), 840

Regurgitation

ssment of severity of valvular regurgitation by digital subtraction angiography compared to cineangiography (Booth, Nissen, and DeMaria), 409

Tricuspid stenosis and regurgitation in rheumatic heart disease: prospective cardiac catheterization study in 525 patients (Yousof et al.), 60

Reinfarction

Influence of long-acting nitrate therapy on risk of reinfarction, sudden death, and total mortality in survivors of acute myocardial infarction (Rapaport), 276

Renal

Permanent cardiac pacing in patients on chronic renal dialysis (Leman, Kratz, and Gazes), 1242

Renal cell carcinoma and right atrial tumor diagnosed by echocardiography (Goldman et al.), 183 Renal failure due to cholesterol emboli following PTCA (Tilley et al.), 1301 (Brief comm.)

Intravenous propranolol in treatment of repetitive ventricular tachyarrhythmias during resuscitation from sudden death (Mason et al.), 161 (Brief comm.)

Revascularization

Constrictive pericarditis following myocardial revasculariza-tion: possible cause of graft occlusion (Kabbani et al.), 493 (Brief comm)

Persistent defect on exercise thallium imaging and its fate after myocardial revascularization: does it represent scar or ischemia? (Liu et al.), 996

Acknowledgment to Reviewers, 1129 Right atrial

Renal cell carcinoma and right atrial tumor diagnosed by echocardiography (Goldman et al.), 183 (Brief comm.)

Right ventricle, Right ventricular
Asymptomatic giant RV myxoma (Pittaluga et al.), 1324 (Let-

ter) Inducible ventricular fibrillation in arrhythmogenic right ven-tricular dysplasia (Panidis et al.), 1067 (Brief comm.)

M-mode and two-dimensional echocardiographic analysis of

the septum in experimental right ventricular infarction: correlation with hemodynamic alterations (Sharkey et al.),

Right-to-left interatrial shunting with atrial septal defect and idiopathic right ventricular calcification (Reisner et al.), 182 (Brief comm.) Right ventricular coronary flow in arterial hypertension (Wick-

er and Tarazi), 845 Right ventricular infarction with shock but without significant left ventricular infarction: new clinical syndrome (Roberts et al.), 1047

Two-dimensional echocardiographic determinants of interventricular septal configurations in right or left ventricular overload (Agata et al.), 819

Risk factors and incidence of hypertension in black physicians: the Meharry Cohort Study (Thomas et al.), 637

Use of rest and exercise radionuclide ventriculography in risk stratification in patients with suspected coronary artery disease (Iskandrian et al.), 864

Ryanodine

Effects of ryanodine on cat papillary muscle and isolated rat heart (Blumlein et al.), 386

Sarcoidosis

Echocardiographic evaluation of patients with systemic sarcoidosis (Lewin et al.), 116

Sarcomas, cardiac

Chemotherapy of metastatic primary cardiac sarcomas (Verg-non et al.), 682 (Brief comm.)

"Save

What is a "save"?: Outcome measures in clinical evaluations of automatic external defibrillators (Cummins, Eisenberg, Hallstrom, et al.), 1133

Scintigraphy
Prognostic implications of exercise thallium-201 scintigraphy in patients with suspected or known coronary artery disease (Iskandrian, Hakki, and Kane-Marsch), 135

Scleroderma

Heart disease in scleroderma (Goldman and Kotler), 1043

Sclerosis

Prediction of survival in progressive systemic sclerosis by multivariate analysis of clinical features (Wynn, Fineberg, Matzer, et al.), 123

Septal

Collateral circulation to two different coronary vascular beds by a right superior septal perforator coronary artery in a patient with ventricular tachycardia (Vlay), 893 (Brief comm.)

Ventricular septal rupture following a clinically unrecognized myocardial infarction (Brush et al.), 667 (Brief comm.)

Septum

M-mode and two-dimensional echocardiographic analysis of the septum in experimental right ventricular infarction: correlation with hemodynamic alterations (Sharkey et al.), 1210

Left ventricular performance in septic shock: reversible seg-mental and global abnormalities (Ellrodt et al.), 402

Shunting

Right-to-left interatrial shunting with atrial septal defect and idiopathic right ventricular calcification (Reisner et al.), 182 (Brief comm.)

Signal averaging
Influence of left ventricular function on signal averaged late potentials in patients with coronary artery disease with and without ventricular tachycardia (Pollak et al.), 747

Accuracy of biplane axial oblique and oblique cineangiographic left ventricular cast volume determinations using a modification of Simpson's rule algorithm (Starling and Walsh), 1219

Sinus

Origin of left anterior descending coronary artery from right aortic sinus with intramyocardial tunneling to left side of heart via ventricular septum: case against climcal and mor-phologic significance of myocardial bridging (Schulte et al.), 499 (Brief comm.)

Symptomatic sinus bradycardia during concomitant proprano-lol-verapamil administration (Winniford, Fulton, and Hillis),

498 (Brief comm.)

Sinus node dysfunction Classification of sinus node dysfunction (Bashour), 1251

Smoking

Smoking status at time of acute myocardial infarction and subsequent prognosis (Kelly et al.), 535

Spasm, coronary artery
Arteriographic demonstration of release of coronary artery spasm by isosorbide dinitrate: twenty-five-year retrospective (Gensini), 201 Coronary artery spasm and vascular nerve lesion (Kohchi et al.), 1071 (Brief comm.)

Coronary artery spasm induced in miniature swine: angiographic evidence and relation to coronary atherosclerosis (Shimokawa et al.), 300

Multivessel coronary spasm without electrocardiographic changes (Crea, Abela, and Pepine), 1064 (Brief comm.)
Myocardial infarction: thoughts about pathogenesis and role of

coronary artery spasm (Conti), 187

ST changes

Asymptomatic transient ST changes during ambulatory ECG monitoring in diabetic patients (Chiariello et al.), 529

Course of chest pain and its relation to CK release and ST/QRS vector changes in patients with acute myocardial infarction randomized to treatment with intravenous timolol or placebo (Sederholm et al.), 521

ST segment(s)

Body surface distributions of ST segment changes after exercise in effort angina pectoris without myocardial infarction (Kubota et al.), 949

The "false positive" exercise electrocardiogram: value of time course patterns in assessment of depressed ST segments and inverted T waves (Barlow), 1328

Ventricular ectopic activity with spontaneous variant angina: frequency and relation to transient ST segment deviation (Gabliani et al.), 40

Static-dynamic effort

Safety of static-dynamic effort soon after myocardial infarction (Wilke et al.), 542

Stenosis

of prolonged HV conduction in aortic stenosis

(MacMillan et al.), 56 Reconsideration of Doppler assessed gradients in suspected aortic stenosis (Krafchek et al.), 765

Severe stress thallium defect: indicator of critical coronary stenosis (Reisman et al.), 128

Tricuspid stenosis and regurgitation in rheumatic heart disease: prospective cardiac catheterization study in 525 patients (Yousof et al.), 60

Stimulation vs response

Mode of stimulation versus response: validation of a protocol for induction of ventricular tachycardia (Oseran et al.), 646

Streptococcus viridans bacteremia
Streptococcus viridans bacteremia associated with atrial myxoma (Frandsen, Prichard, and Storz), 180 (Brief comm.)

Long-term follow-up after intracoronary streptokinase therapy for acute myocardial infarction (Blanke et al.), 736 Low-dose streptokinase therapy for Swan-Ganz catheter-induced thrombosis (Kahn, Goldstein, and Cope), 891 (Brief comm.)

Estimation of regional stress in left ventricular septum and free wall: echocardiographic study suggesting mechanism for asymmetric septal hypertrophy (Heng, Janz, and Jobin), 84 Remission of angina pectoris: correlation with the stress thallium defects indicate the stress that the stress that

Severe stress thallium defect: indicator of critical coronary stenosis (Reisman et al.), 128

Strut fracture

Late strut fracture and disc embolization in a 27 mm Björk-Shiley mitral valve prosthesis (Miccolo, Lemole, and Spagna), 898 (Brief comm.)

Subaortic stenosis

Diagnosis of discrete subaortic stenosis by pulsed and continuous wave echocardiography (Kinney et al.), 1069 (Brief comnm.)

Subclavian steal

Pulmonary and subclavian steal following Blalock-Taussig shunt (Casta and Conti), 1313 (Letter) Reply (Agarwal), 1314

Sudden cardiac death

Influence of long-acting nitrate therapy on risk of reinfarction, sudden death, and total mortality in survivors of acute myocardial infarction (Rapaport), 276

Intramural coronary arteritis from cholesterol emboli: rare cause of unstable angina preceding sudden death (Teja and Crampton), 168 (Brief comm.)

Intravenous propranolol in treatment of repetitive ventricular tachyarrhythmias during resuscitation from sudden death (Mason et al.), 161 (Brief comm.)

Long-term follow-up of survivors of prehospital sudden cardiac

death treated with coronary bypass surgery (Tresch et al.), 1139

Sudden death and hypertrophic cardiomyopathy (Tracy and Epstein), 1326 (Letter)

Supraventricular tachyarrhythmias

Efficacy and safety of esmolol vs propranolol in treatment of supraventricular tachyarrhythmias: multicenter double-blind clinical trial (Abrams et al.), 913

Supraventricular tachycardia

rogrammable extrastimulus pacing for long-term manage-ment of supraventricular and ventricular tachycardias: clinical experience in 16 patients (Bertholet et al.), 582

Sustained release quinidine Comparative efficacy and safety of short-acting and sustained ase quinidine in treatment of patients with ventricular arrhythmias (Morganroth and Hunter), 1176

Swan-Ganz catheter

Low-dose streptokinase therapy for Swan-Ganz catheter-induced thrombosis (Kahn, Goldstein, and Cope), 891 (Brief

Electrophysiologic testing in patients with recurrent syncope: are results predicted by prior ambulatory monitoring? (Reiffel et al.), 1146

Occult arrhythmias and syncope in children (Sapire and Wolf),

1311 (Letter) Reply (Beder and Cohen), 1312 Syncope in hypertrophic cardiomyopathy. I. Association with atrioventricular block (Khair and Bamrah), 1081 (Brief

Syncope-Cont'd

Syncope in hypertrophic cardiomyopathy. II. Coexistence of atrioventricular block and Wolff-Parkinson-White syndrome (Khair, Soni, and Bamrah), 1083 (Brief comm.) Value of electrophysiologic studies in syncope of undetermined origin: report of 150 cases (Teichman et al.), 469

Systemic artery-pulmonary vein fistula

Aberrant systemic artery-pulmonary vein fistula: detection of occult lesion by contrast echocardiography (Wolf, Casta, and Swischuk), 480 (Brief comm.)

Systemic lupus erythematosus

Cardiovascular manifestations of systemic lupus erythematosus (Doherty and Siegel), 1257

Systolic

Regional left ventricular systolic function in patients with segmental early relaxation and single-vessel coronary artery disease (Sabbah et al.), 1001

T

T wave(s)

The "false positive" exercise electrocardiogram: value of time course patterns in assessment of depressed ST segments and inverted T waves (Barlow), 1328

TA-064

Analysis of efficacy of new cardiotonic agent TA-064 (Thormann et al.), 426

Tachyarrhythmias

Intravenous propranolol in treatment of repetitive ventricular tachyarrhythmias during resuscitation from sudden death Mason et al.), 161

Tachycardia(s)

Incessant atrioventricular nodal reciprocating tachycardia successfully treated with intravenous amiodarone (Maggioni et al.), 159 (Brief comm.)

Magnesium and potassium therapy in multifocal atrial tachy-cardia (Iseri et al.), 789

Programmable extrastimulus pacing for long-term manage-ment of supraventricular and ventricular tachycardias: clinical experience in 16 patients (Bertholet et al.), 582 (Clinical Investigation)

Propafenone therapy for ventricular tachycardia in the setting of congestive heart failure (Brodsky et al.), 794 Tachycardia, ventricular. See Ventricular tachycardia

Tamponade

Isoproterenol in cardiac tamponade (Spodick), 1317 (Letter) Reply (Cohen), 1318

Technetium-99m-pyrophosphate scintigraphy
Technetium-99m-pyrophosphate scintigraphy in patients with
suspected acute myocardial infarction: impact of interobserver variability (Fisher et al.), 347

Technologies

Newer technologies for study of action of nitrates in coronary circulation and myocardial function (Swan), 233

Tetralogy of Fallot

Echocardiographic features of tetralogy of Fallot with an accessory tricuspid valve leaflet (LaCorte et al.), 1297 (Brief comm.)

Thallium

Decrease in ability to detect elevated lung thallium due to delay in commencing imaging after exercise (Rothendler et al.), 830

Persistent defect on exercise thallium imaging and its fate after myocardial revascularization: does it represent scar or ischemia? (Liu et al.), 996

Prognostic implications of exercise thallium-201 scintigraphy patients with suspected or known coronary artery disea

(Iskandrian, Hakki, and Kane-Marsch), 135
Remission of angina pectoris: correlation with stress thallium201 test (Gould et al.), 1299 (Brief comm.)
Severe stress thallium defect: indicator of critical coronary

stenosis (Reisman et al.), 128

Thrombectomy

Thrombectomy for obstructed Björk-Shiley mitral prosthesis (Kaul and Venugopal), 1323 (Letter)

Thromboglobulin

Serial studies of platelet factor 4 and beta thromboglobulin during exercise in patients with coronary artery disease (Strauss et al.), 293

Thrombosis

Low-dose streptokinase therapy for Swan-Ganz catheter-induced thrombosis (Kahn, Goldstein, and Cope), 891 (Brief comm.)

Thromboxane receptor antagonist

Anti-ischemic actions of a new thromboxane receptor antago-nist during acute myocardial ischemia in cats (Brezinski et al.) 1161

Thrombus(bi)

Classification of left ventricular thrombi by their history of systemic embolization using pattern recognition of two-dimensional echocardiograms (Lloret et al.), 761

Detection of round floating left atrial thrombus simulating left atrial myxoma by two-dimensional echocardiography (Zur-Binenboim et al.), 492 (Brief comm.)

Sudden appearance of a right atrial thrombus on two-dimensional echocardiogram: significance and therapeutic implica-tions (Kinney et al.), 879 (Brief comm.)

Time course patterns

The "false positive" exercise electrocardiogram: value of time course patterns in assessment of depressed ST segments and inverted T waves (Barlow), 1328

Timolol

Circulating catecholamine and potassium concentrations early in acute myocardial infarction: effect of intervention with timolol (Nordrehaug et al.), 944

Course of chest pain and its relation to CK release and ST/QRS vector changes in patients with acute myocardial infarction randomized to treatment with intravenous timolol or placebo (Sederholm et al.), 521

Review of the uses and limitations of tocainide-a class IB antiarrhythmic agent (Morganroth, Nestico, and Horowitz), 856

Tolerance

Nitrate tolerance (Leier), 224

Transcatheter ablation

Transcatheter ablation: safety and convenience modifications (Reiffel), 1326 (Letter)

Transdermal nitroglycerin

Effect of a new transdermal therapeutic system containing nitroglycerin on exercise capacity in patients with angina pectoris (Scardi et al.), 546

Transposition of great arteries (TGA)

LV outflow tract obstruction in complete transposition of the great arteries (Glaser, Balkin, and Farber), 1314 (Letter) Reply (Vitarelli), 1317

Ventricular function in transposition of the great arteries: evaluation by radionuclide angiocardiography (Hurwitz et

Tricuspid

Congenital isolated tricuspid regurgitation in an adult (Sakai, Inoue, and Osawa), 680 (Brief comm.)

Echocardiographic features of tetralogy of Fallot with an accessory tricuspid valve leaflet (LaCorte et al.), 1297 (Brief

Pseudo tricuspid regurgitation in ventricular pacing (Jacobs et al.), 886 (Brief comm.)

Tricuspid stenosis and regurgitation in rheumatic heart disease: prospective cardiac catheterization study in 525 patients (Yousof et al.), 60

Tumor

Pulmonary tumor embolism and right atrial myxoma detected by two-dimensional echocardiography (Keller et al.), 881 (Brief comm.)

Renal cell carcinoma and right atrial tumor diagnosed by echocardiography (Goldman et al.), 183 (Brief comm.)

Two-dimensional echocardiograms(graphy)

Classification of left ventricular thrombi by their history of systemic embolization using pattern recognition of two-dimensional echocardiograms (Lloret et al.), 761 (Clinically "silent" artial septal defect: diagnosis by two-dimensional and Doppler echocardiography (Shub, Tajik, and Seward), 665 (Brief comm.)

Detection of round floating left atrial thrombus simulating left

Detection of round floating left atrial thrombus simulating left atrial myxoma by two-dimensional echocardiography (Zur-Binenboim et al.), 492 (Brief comm.)

Mitral-septal angle: new two-dimensional echocardiographic

index of left ventricular performance (Abinader), 381
M-mode and two-dimensional echocardiographic analysis of
the septum in experimental RV infarction: correlation with

hemodynamic alterations (Sharkey et al.), 1210

Two-dimensional echocardiograms(graphy)-Cont'd

Pulmonary tumor embolism and right atrial myxoma detected by two-dimensional echocardiography (Keller et al.), 881 (Brief comm.)

Quantitation of regional left ventricular function by twodimensional echocardiography in normals and patients with coronary artery disease (Ren et al.), 552 Relative wall thickness analysis by two-dimensional echocar-

diography (Douglas et al.), 1012
Sudden appearance of a right atrial thrombus on two-dimensional echocardiogram: significance and therapeutic implica-

tions (Kinney et al.), 879 (Brief comm.)
Two-dimensional echocardiographic determinants of interventricular septal configurations in right or left ventricular overload (Agata et al.), 819

Two-dimensional echocardiography versus surface electrocardiography for diagnosis of acute non-Q wave myocardial infarction (Arvan and Varat), 44

Type A behavior

Reduction in type A behavior in healthy middle-aged American military officers (Gill et al.), 503

Unipolar electrocardiography
Unipolar electrocardiography of Wilson: a half century later (Kossmann), 901

Univentricular heart

Universitual reart in adults: report of nine cases with review of literature (Sagar and Mauck), 1059
University cardiologist

How the university cardiologist treats ventricular premature beats: a nationwide survey of 65 University Medical Centers (Vlay), 904

Upright activity

Effect of acute standing and prolonged upright activity on LV hemodynamics, systolic and diastolic intervals and QT-QS₂ relationship (Boudoulas et al.), 623

Urografin

Changes in left ventricular diastolic function after left ventric-ulography: comparison with iopamidol and urografin (Tani et al.), 617

Vagal antagonism
Unidirectional retrograde atrioventricular nodal block in man: determinants of reversibility by vagal antagonism (Mahmud et al.), 568

Valve(s). See also specific valve

Angiographic diagnosis of inward flexion of porcine biopros-thetic valve stents (Kemp et al.), 673 (Brief comm.) Echocardiographic features of tetralogy of Fallot with an

accessory tricuspid valve leaflet (LaCorte et al.), 1297 (Brief comm.)

Experience with outlet strut fracture of the Björk-Shiley convexoconcave mitral valve prosthesis (Mok et al.), 814

Maternal mitral valve prolapse and congenital heart disease in

the offspring (Ferencz et al.), 899 (Brief comm.)
Significance of inspiratory premature opening of pulmonic valve in contrictive pericarditis (Vandenbossche et al.), 896 (Brief comm.)

Valve prosthesis

Late strut fracture and disc embolization in a 27 mm Björk-Shiley mitral valve prosthesis (Miccolo, Lemole, and Spagna), 899 (Brief comm.) Thrombectomy for obstructed Björk-Shiley mitral prosthesis (Kaul and Venugopal), 1323 (Letter)

Assessment of severity of valvular regurgitation by digital subtraction angiography compared to cineangiography (Booth, Nissen, and DeMaria), 409

Hemodynamic effects of verapamil in left ventricular valvular volume overload (Butman, Eagan, and Olson), 416

Vascular

Collateral circulation to two different coronary vascular beds by a right superior septal perforator coronary artery in a patient with ventricular tachycardia (Vlay), 893 (Brief

Vascular-Cont'd

Coronary artery spasm and vascular nerve lesion (Kohchi et al.), 1071 (Brief comm.)

Vasospasm, coronary

Chest pain after nontransmural infarction: absence of remediable coronary vasospasm (Eisenberg et al.), 515

Vena cava

Spontaneous echographic contrast in the inferior vena cava (Meltzer et al.), 826

Venosequestration

Mechanisms of nitrate action in patients with severe left ventricular failure: conceptual problems with theory of veno-sequestration (Packer), 259

- Arrhythmia inducibility and ventricular vulnerability in chronic feline infarction model (Wetstein et al.), 955
 How the university cardiologist treats ventricular premature beats: nationwide survey of 65 University Medical Centers
- (Vlay), 904
- Long-term efficacy and safety of oral encainide in treatment of chronic ventricular ectopic activity: relationship to plasma concentrations—a French multicenter trial (Dumoulin et
- M-mode and two-dimensional echocardiographic analysis of the septum in experimental right ventricular infarction: correlation with hemodynamic alterations (Sharkey et al.),
- Origin of left anterior descending coronary artery from right aortic sinus with intramyocardial tunneling to left side of heart via ventricular septum: case against clinical and morphologic significance of myocardial bridging (Schulte et al.), 499 (Brief comm.)
- Persistent Q waves with restoration of normal ventricular contractility after emergency coronary reperfusion (Bashour and Goldshlager), 888 (Brief comm.)

 Pseudo tricuspid regurgitation in ventricular pacing (Jacobs et
- al.), 886 (Brief comm.)
- Pulmonary versus systemic hemodynamics in determining
- exercise capacity of patients with chronic left ventricular failure (Franciosa, Baker, and Seth), 807
 Rate-dependent, pacemaker-related concealed ventricular extrasystoles: entrainment of ectopic ventricular focus (Klein et al.), 165 (Brief comm.)
- Ventricular ectopic activity with spontaneous variant angina: frequency and relation to transient ST segment deviation (Gabliani et al.), 40

Ventricular arrhythmia(s). See also Arrhythmias, ventricu-

- Amiodarone and sustained ventricular arrhythmias: statistical
- evidence of drug effectiveness (Flaker et al.), 371
 Comparative efficacy and safety of oral cibenzoline and quinidine in ventricular arrhythmias: a randomized crossover study (Wasty, Saksena, and Barr), 1181
- Comparative efficacy and safety of shorth-acting and sustained release quinidine in treatment of patients with ventricular arrhythmias (Morganroth and Hunter), 1176
- Effect of diuretic therapy on ventricular arrhythmias in hypertensive patients with or without left ventricular hypertrophy (Papademetriou et al.), 595
- Initial and long-term outpatient experience with lorcainide for suppression of malignant and potentially malignant ventric-ular arrhythmias (Anastasiou-Nana et al.), 1168 Mexiletine: double-blind comparison with procainamide in
- PVC suppression and open-label sequential comparison with amiodarone in life-threatening ventricular arrhythmias (Nademanee et al.), 923
- Milrinone in congestive heart failure: observations on ambula-tory ventricular arrhythmias (Holmes et al.), 800 Prevalence and possible mechanisms of ventricular arrhyth-
- mias in athletes (Palatini et al.), 560
- Yield of programmed ventricular stimulation in mitral valve prolapse patients with ventricular arrhythmias (Rosenthal et al.), 970

Ventricular fibrillation

- Alterations in the distribution of high-energy phosphates during ischemia in a canine model of reperfusion-induced ventricular fibrillation (Hale et al.), 590

 Effect of bretylium and clofilium on dispersion of refractoriness and vulnerability to ventricular fibrilation in ischemic
- feline heart (Kowey et al.), 363

Ventricular fibrillation—Cont'd

Inducible ventricular fibrillation in arrhythmogenic right ventricular dysplasia (Panidis et al.), 1067 (Brief comm.)

Ventricular function

- Influence of left ventricular function on signal averaged late potentials in patients with coronary artery disease with and without ventricular tachycardia (Pollak et al.), 747 Ventricular function in transposition of the great arteries:
- evaluation by radionuclide angiocardiography (Hurwitz et al.), 600

- Ventricular tachyarrhythmia(s)
 Intravenous propranolol in treatment of repetitive ventricular tachyarrhythmias during resuscitation from sudden death (Mason et al.), 161 (Brief comm.)
- Meobentine sulfate: antiarrhythmic and electrophysiologic effects assessed by programmed electrical stimulation and ambulatory monitoring in patients with complex ventricular tachyarrhythmia. Report of multicenter evaluation (Anderson et al.), 774

- Ventricular tachycardia
 Aggravation of electrically provoked ventricular tachycardia during treatment with propafenone (Stavens et al.), 24
- Clinical significance of polymorphic ventricular tachycardia provoked at electrophysiologic testing (Torres, Flowers, and Somberg), 17 Collateral circulation to two different coronary vascular beds
- by a right superior septal perforator coronary artery patient with ventricular tachycardia (Vlay), 893 (Brief
- Evaluation of percutaneous catheter technique for ablation of ventricular tachycardia in canine model (Chapman et al.),
- Influence of left ventricular function on signal averaged late potentials in patients with coronary artery disease with and without ventricular tachycardia (Pollak et al.), 747

 Mode of stimulation versus response: validation of a protocol
- for induction of ventricular tachycardia (Oseran et al.), 646
- Programmable extrastimulus pacing for long-term management of supraventricular and ventricular tachycardias: clini-
- cal experience in 16 patients (Bertholet et al.), 582
 Propafenone therapy for ventricular tachycardia in the setting
 of congestive heart failure (Brodsky et al.), 794

Ventriculography

- Changes in left ventricular diastolic function after left ventriculography: comparison with iopamidol and urografin (Tani et al.), 617
- Feasibility, reliability, and advantage of utilizing low contrast dose digital subtraction ventriculography in a conventional catheterization laboratory (Denardo et al.), 631

Verapamil

- Age-related changes in pharmacodynamics of verapamil (Arnold, Vallner, and Tackett), 981
- Effects of verapamil on pharmacokinetics and pharmacodynamics of digitoxin in patients (Kuhlmann and Marcin), 1245
- Hemodynamic effects of verapamil in left ventricular valvular volume overload (Butman, Eagan, and Olson), 416 Symptomatic sinus bradycardia during concomitant proprano-
- lol-verapamil administration (Winniford, Fulton, and Hills), 498 (Brief comm.)

W

Wall thickness

Relative wall thickness analysis by two-dimensional echocardiography (Douglas et al.), 1012 Wenckebach conduction

Retrograde Wenckebach conduction in atrioventricular bypass tracts: further evidence for AV nodal-like conduction in accessory pathways (Deng et al.), 1074 (Brief comm.) Wilson

Unipolar electrocardiography of Wilson: a half century later (Kossmann), 901

Wolff-Parkinson-White syndrome

Syncope in hypertrophic cardiomyopathy. II. Coexistence of atrioventricular block and Wolff-Parkinson-White syndrome (Khair, Soni, and Bamrah), 1063 (Brief comm.)

